



Daily Spot Cotton Quotations

Agricultural Marketing Service

Cotton and Tobacco Market News

15-Jan-19

Volume 101, No. 116

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS	
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program		
	ICE Futures	Staple 34	Staple 35	Today	Season	
	<i>Points</i>	<i>Cents per pound</i>		<i>Bales</i>	<i>Bales</i>	
Southeast	-200 Mar-19	70.36	72.61	0	14,186	
North Delta	-275 Mar-19	69.61	71.36	1,203	3,844	
South Delta	-275 Mar-19	69.61	71.36	0	1,723	
East TX-OK	-575 Mar-19	66.61	69.11	1,968	117,711	
West Texas	-575 Mar-19	66.61	69.36	8,128	153,142	
Desert SW	-600 Mar-19	66.36	70.61	720	11,215	
SJ Valley	-550 Mar-19	66.86	75.76	0	0	
Average	-436 Mar-19	68.00	71.45	Upland Total		
Previous day	-436 Mar-19	68.63	72.08	12,019	301,821	
AMERICAN PIMA SPOT PRICE QUOTATIONS						
	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46	AP Total		
American Pima	125.00	102.50	110.25	0	1,052	

ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER				7-MARKET BASE QUOTATIONS FOR UPLAND COTTON		Jan 11 - Jan 17 ADJ. WORLD PRICE	
Month	<i>Cents per pound</i>					0.00	
	Today	Previous	Change			CC ADJUSTMENT	
Mar-19	72.36	72.99	↓ -0.63	Season high		0.00	
May-19	73.72	74.51	↓ -0.79			FC ADJUSTMENT	
Jul-19	74.89	75.79	↓ -0.90	8/2/2018	85.65	2017	2018
Oct-19	73.74	74.62	↓ -0.88			0.00	0.00
Dec-19	73.44	74.10	↓ -0.66			LOAN DEFICIENCY PMT.	
Mar-20	74.60	75.26	↓ -0.66			0.00	
May-20	75.00	75.69	↓ -0.69			PIMA COMPETITIVENESS	
Jul-20	75.35	76.04	↓ -0.69	1/3/2019	66.40	PAYMENT	
Oct-20	73.55	74.15	↓ -0.60			0.00	
Dec-20	73.15	73.60	↓ -0.45				

TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW:

Market	Basis	Color Leaf Staple	Mike	Strength	Extraneous Matter	Uniformity
Southeast						
North Delta						
South Delta						
East TX-OK						
West Texas						
Desert SW						
SJ Valley						
American Pima						

1/ Settlement prices provided by ICE Futures US

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:<http://www.ams.usda.gov/mnreports/cnddsq.pdf>

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>

SOUTHEAST DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-50	150	250	325	375	375	25-26	-825
	3	-225	-50	150	225	300	350	350	27-29	-425
	4	-225	-125	75	175	275	300	300	30-32	-275
	5	-375	-225	-125	25	75	75	75	33-34	-150
	6	-500	-350	-300	-225	-200	-200	-200	Base 35-36	0
31	7	-625	-475	-450	-350	-325	-325	-325	37-42	0
	1 & 2	-225	-50	125	225	300	325	325	Base 43-49	0
	3	-225	-50	125	225	275	300	300	50-52	-200
	4	-225	-125	75	175	250	275	275	53 & Above	-375
	5	-375	-225	-125	25	50	50	50		
41	6	-500	-350	-300	-275	-250	-250	-250		
	7	-625	-475	-450	-400	-375	-375	-375		
	1 & 2	-275	-100	50	150	200	200	225	Strength	
	3	-275	-100	50	125	175	175	200	(Grams per Tex)	
	4	-275	-200	70.36	100	175	175	200	Range	Diff.
51	5	-450	-350	-200	-75	-25	-25	-25	21.0 - 21.9	-425
	6	-575	-450	-425	-350	-325	-325	-325	22.0 - 22.9	-350
	7	-675	-575	-550	-500	-475	-475	-475	23.0 - 23.9	-300
	1 & 2	-475	-300	-175	-175	-150	-150	-150	24.0 - 24.9	-250
	3	-550	-325	-250	-225	-175	-175	-175	25.0 - 25.9	-200
61	4	-575	-325	-275	-275	-250	-250	-250	26.0 - 26.9	-25
	5	-675	-550	-450	-400	-375	-375	-375	Base 27.0 - 28.9	0
	6	-750	-575	-525	-525	-500	-500	-500	29.0 - 29.9	0
	7	-825	-700	-675	-675	-650	-650	-650	30.0 - 30.9	25
	1-5	-775	-700	-625	-600	-600	-600	-600	31.0 - 32.9	50
71	6	-950	-875	-825	-800	-800	-800	-800	33.0 & Above	50
	7	-1075	-950	-900	-875	-875	-875	-875		
	1-6	-1075	-1000	-950	-950	-950	-950	-950		
12 & 22	7	-1100	-1025	-975	-975	-975	-975	-975		
	1 & 2	-275	-100	50	150	250	250	275	Extraneous Matter	
	3	-275	-100	50	125	225	225	250	Type - Level	Diff.
	4	-275	-125	0	100	200	200	225	Prep - Level 1	-200
	5	-425	-325	-200	0	25	25	25	Prep - Level 2	-800
32	6	-550	-425	-425	-350	-325	-325	-325	Other - Level 1	-400
	7	-650	-550	-550	-500	-475	-475	-475	Other - Level 2	-800
	1 & 2	-325	-175	-25	0	50	50	50	Plastic - Level 1	-400
	3	-350	-200	-50	0	25	25	25	Plastic - Level 2	-800
	4	-450	-200	-150	-100	-50	-50	-50		
42	5	-525	-350	-300	-275	-250	-250	-250		
	6	-600	-450	-450	-425	-400	-400	-400		
	7	-700	-575	-575	-550	-525	-525	-525		
	1-3	-625	-425	-225	-200	-175	-175	-175	Uniformity	
	4	-675	-425	-275	-275	-250	-250	-250	Unit	Points
52	5	-775	-650	-425	-375	-350	-350	-350	77.9 & Below	-125
	6	-825	-775	-625	-625	-600	-600	-600	78.0 - 78.9	-110
	7	-925	-800	-775	-750	-725	-725	-725	79.0 - 79.9	-100
	1-4	-825	-700	-575	-500	-500	-500	-500	80.0 - 80.9	-25
	5	-850	-850	-675	-650	-650	-650	-650	Base 81.0 - 81.9	0
62	6	-925	-900	-850	-825	-825	-825	-825	82.0 - 82.9	0
	7	-1075	-1000	-950	-925	-925	-925	-925	83.0 - 83.9	20
	1-5	-950	-875	-825	-825	-825	-825	-825	84.0 - 84.9	30
43	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000	85.0 - 85.9	40
	1-3	-900	-850	-800	-750	-725	-725	-725	86.0 & Above	50
	4	-925	-900	-850	-775	-750	-750	-750		
	5	-950	-900	-850	-825	-825	-825	-825		
	6	-1000	-925	-875	-850	-850	-850	-850		
53	7	-1125	-1000	-950	-925	-925	-925	-925		
	1-4	-1000	-900	-850	-800	-800	-800	-800		
	5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
63	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100		
	1-5	-1125	-1075	-975	-975	-975	-975	-975		
63	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100		

NORTH DELTA DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	125	250	325	375	375	25-26	-1000
	3	-225	-75	100	200	300	325	325	27-29	-650
	4	-275	-200	25	75	200	225	225	30-32	-325
	5	-450	-325	-75	0	25	50	50	33-34	-125
	6	-500	-475	-350	-300	-300	-300	-300	Base 35-36	0
31	7	-600	-575	-450	-400	-400	-400	-400	37-42	25
	1 & 2	-225	-100	75	200	300	325	325	Base 43-49	0
	3	-225	-100	75	175	275	300	300	50-52	-225
	4	-275	-250	25	75	125	150	150	53 & Above	-375
	5	-450	-325	-125	-50	-25	0	0		
41	6	-500	-475	-350	-300	-300	-300	-300		
	7	-600	-575	-450	-400	-400	-400	-400		
	1 & 2	-350	-250	50	100	200	200	225	Strength	
	3	-350	-250	25	50	175	175	200	(Grams per Tex)	
	4	-375	-275	69.61	0	125	150	150	Range	Diff.
51	5	-525	-400	-225	-125	-75	-75	-75	21.0 - 21.9	-300
	6	-575	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-250
	7	-700	-675	-550	-450	-450	-475	-475	23.0 - 23.9	-200
	1-2	-675	-475	-350	-250	-250	-250	-250	24.0 - 24.9	-175
	3	-725	-475	-375	-275	-275	-275	-275	25.0 - 25.9	-150
61	4	-750	-500	-400	-350	-350	-350	-350	26.0 - 26.9	-25
	5	-825	-725	-525	-475	-450	-450	-450	Base 27.0 - 28.9	0
	6	-850	-825	-675	-600	-600	-600	-600	29.0 - 29.9	0
	7	-1000	-975	-825	-700	-700	-700	-700	30.0 - 30.9	25
	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
71	6	-925	-850	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1025	-1000	-875	-850	-850	-850	-850		
	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
12 & 22	7	-1275	-1225	-1075	-1075	-1075	-1075	-1075	Extraneous Matter	
	1 & 2	-275	-125	50	100	250	275	275	Type - Level	Diff.
	3	-275	-125	25	50	200	250	250	Prep - Level 1	-200
	4	-300	-250	0	0	150	175	175	Prep - Level 2	-800
	5	-500	-375	-200	-100	-75	-50	-50	Other - Level 1	-375
32	6	-625	-550	-425	-325	-300	-300	-300	Other - Level 2	-785
	7	-675	-650	-525	-450	-425	-425	-425	Plastic - Level 1	-375
	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 2	-785
	3	-400	-250	-100	-25	25	25	25		
	4	-425	-275	-200	-100	-75	-75	-75		
42	5	-600	-425	-250	-225	-200	-200	-200	Uniformity	
	6	-700	-650	-475	-425	-400	-400	-400	Unit	Points
	7	-800	-750	-575	-525	-525	-525	-525	77.9 & Below	-90
	1-3	-550	-425	-325	-200	-175	-175	-175	78.0 - 78.9	-80
	4	-575	-450	-350	-275	-250	-250	-250	79.0 - 79.9	-70
52	5	-725	-575	-425	-375	-325	-325	-325	80.0 - 80.9	0
	6	-850	-750	-600	-550	-525	-525	-525	Base 81.0 - 81.9	0
	7	-900	-800	-700	-650	-650	-650	-650	82.0 - 82.9	0
	1-4	-750	-575	-525	-500	-500	-500	-500	83.0 - 83.9	30
	5	-825	-725	-650	-600	-600	-600	-600	84.0 - 84.9	40
62	6	-975	-875	-800	-775	-775	-775	-775	85.0 - 85.9	50
	7	-1000	-975	-900	-875	-875	-875	-875	86.0 & Above	60
	1-5	-1025	-925	-850	-825	-825	-825	-825		
43	6	-1175	-1075	-950	-925	-925	-925	-925		
	1-3	-900	-675	-500	-475	-475	-475	-475		
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
53	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
63	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

SOUTH DELTA DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	125	250	325	375	375	25-26	-1100
	3	-225	-75	100	200	300	325	325	27-29	-750
	4	-275	-200	25	75	200	225	225	30-32	-325
	5	-450	-325	-75	0	25	50	50	33-34	-125
	6	-500	-475	-350	-300	-300	-300	-300	Base 35-36	0
31	7	-600	-575	-450	-400	-400	-400	-400	37-42	25
	1 & 2	-225	-100	75	200	300	325	325	Base 43-49	0
	3	-225	-100	75	175	275	300	300	50-52	-225
	4	-275	-250	25	75	125	150	150	53 & Above	-375
	5	-450	-325	-125	-50	-25	0	0		
41	6	-500	-475	-350	-300	-300	-300	-300		
	7	-600	-575	-450	-400	-400	-400	-400		
	1 & 2	-350	-250	50	100	200	200	225	Strength	
	3	-350	-250	25	50	175	175	200	(Grams per Tex)	
	4	-375	-275	69.61	0	125	150	150	Range	Diff.
51	5	-525	-400	-225	-125	-75	-75	-75	21.0 - 21.9	-275
	6	-575	-500	-400	-325	-300	-325	-325	22.0 - 22.9	-225
	7	-700	-675	-550	-450	-450	-475	-735	23.0 - 23.9	-200
	1-2	-675	-475	-350	-250	-250	-250	-250	24.0 - 24.9	-175
	3	-725	-475	-375	-275	-275	-275	-275	25.0 - 25.9	-150
61	4	-750	-500	-400	-350	-350	-350	-350	26.0 - 26.9	-25
	5	-825	-725	-525	-475	-450	-450	-450	Base 27.0 - 28.9	0
	6	-925	-825	-675	-600	-600	-600	-600	29.0 - 29.9	0
	7	-1000	-975	-825	-700	-700	-700	-700	30.0 - 30.9	25
	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
71	6	-925	-850	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1025	-1000	-875	-850	-850	-850	-850		
	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
12 & 22	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075	Extraneous Matter	
	1 & 2	-275	-125	50	100	250	275	275	Type - Level	Diff.
	3	-275	-125	25	50	200	250	250	Prep - Level 1	-200
	4	-300	-250	0	0	150	175	175	Prep - Level 2	-800
	5	-500	-375	-200	-100	-75	-50	-50	Other - Level 1	-375
32	6	-625	-550	-425	-325	-300	-300	-300	Other - Level 2	-785
	7	-675	-650	-525	-450	-425	-425	-425	Plastic - Level 1	-375
	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 2	-785
	3	-400	-250	-100	-25	25	25	25		
	4	-425	-275	-200	-100	-75	-75	-75		
42	5	-600	-425	-250	-225	-200	-200	-200	Uniformity	
	6	-700	-650	-475	-425	-400	-400	-400	Unit	Points
	7	-800	-750	-575	-525	-525	-525	-525	77.9 & Below	-90
	1-3	-550	-425	-325	-200	-175	-175	-175	78.0 - 78.9	-80
	4	-575	-450	-350	-275	-225	-225	-225	79.0 - 79.9	-70
52	5	-725	-575	-425	-375	-325	-325	-325	80.0 - 80.9	0
	6	-850	-750	-600	-525	-500	-500	-500	Base 81.0 - 81.9	0
	7	-900	-800	-700	-650	-650	-650	-650	82.0 - 82.9	0
	1-4	-750	-575	-525	-500	-500	-500	-500	83.0 - 83.9	30
	5	-825	-725	-650	-600	-600	-600	-600	84.0 - 84.9	40
62	6	-975	-875	-800	-775	-775	-775	-775	85.0 - 85.9	50
	7	-1000	-975	-900	-875	-875	-875	-875	86.0 & Above	60
	1-5	-1025	-925	-850	-825	-825	-825	-825		
43	6	-1175	-1075	-950	-925	-925	-925	-925		
	1-3	-900	-675	-475	-450	-450	-450	-450		
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
53	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
63	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

EAST TEXAS-OKLAHOMA DIFFERENCES

15-Jan-19

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-350	-300	-125	200	350	475	500	525
	3	-400	-350	-150	150	300	425	425	450
	4	-475	-350	-175	100	100	325	350	350
	5	-525	-400	-350	-25	100	300	300	300
	6	-675	-525	-525	-275	-275	-75	-75	-75
	7	-750	-625	-625	-350	-350	-150	-150	-150
31	1 & 2	-400	-325	-125	125	300	400	475	500
	3	-425	-350	-150	125	250	375	425	450
	4	-525	-425	-225	75	100	225	225	225
	5	-575	-425	-375	-25	75	225	225	225
	6	-700	-550	-550	-275	-275	-125	-125	-125
	7	-775	-650	-650	-350	-350	-225	-225	-225
41	1 & 2	-500	-325	-150	100	175	300	325	325
	3	-525	-350	-175	100	125	175	200	200
	4	-575	-425	-325	66.61	75	125	150	150
	5	-700	-525	-475	-125	-75	125	150	150
	6	-850	-650	-625	-350	-350	-125	-125	-125
	7	-950	-750	-725	-450	-425	-300	-300	-300
51	1 & 2	-675	-525	-425	-50	-50	75	100	100
	3	-675	-550	-425	-50	-50	75	100	100
	4	-725	-575	-450	-125	-100	25	50	50
	5	-775	-650	-600	-225	-175	-100	-75	-75
	6	-950	-750	-750	-375	-375	-250	-250	-250
	7	-1050	-775	-775	-450	-450	-325	-325	-325
61	1-5	-850	-700	-650	-275	-275	-150	-150	-150
	6	-1025	-825	-800	-450	-425	-300	-300	-300
	7	-1125	-925	-900	-550	-525	-400	-400	-400
71	1-6	-1050	-950	-900	-525	-525	-400	-400	-400
	7	-1150	-1000	-975	-600	-600	-475	-475	-475
12 & 22	1 & 2	-725	-500	-300	50	100	250	300	300
	3	-750	-550	-350	25	50	175	225	225
	4	-800	-575	-375	0	0	125	175	175
	5	-875	-750	-675	-275	-175	25	75	75
	6	-1050	-850	-825	-425	-375	-275	-225	-225
	7	-1175	-975	-925	-525	-475	-375	-325	-325
32	1 & 2	-800	-700	-500	-100	0	100	150	150
	3	-825	-700	-525	-125	-100	25	75	75
	4	-875	-725	-600	-200	-175	-75	-25	-25
	5	-975	-850	-800	-375	-300	-75	-25	-25
	6	-1150	-950	-925	-550	-500	-400	-350	-350
	7	-1300	-1075	-1050	-650	-600	-500	-450	-450
42	1-3	-850	-750	-650	-175	-125	-50	0	0
	4	-900	-775	-675	-200	-175	-125	-75	-75
	5	-1050	-900	-825	-425	-375	-300	-250	-250
	6	-1275	-1000	-950	-575	-525	-450	-400	-400
	7	-1400	-1125	-1075	-700	-625	-550	-500	-500
	52	1-4	-1100	-900	-800	-475	-475	-400	-350
5		-1175	-1000	-875	-525	-525	-450	-400	-400
6		-1400	-1200	-1100	-675	-650	-575	-525	-525
7		-1500	-1325	-1225	-800	-775	-650	-600	-600
62	1-5	-1225	-1075	-1025	-600	-575	-500	-450	-450
	6	-1450	-1275	-1225	-800	-775	-675	-625	-625

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1175	-1025	-925	-475	-400	-275	-175	-175
	3	-1200	-1050	-950	-500	-425	-300	-200	-200
	4	-1250	-1125	-1000	-550	-475	-350	-250	-250
	5	-1375	-1225	-1125	-675	-600	-475	-375	-375
	6	-1500	-1300	-1175	-775	-700	-575	-475	-475
	7	-1600	-1400	-1300	-900	-825	-700	-600	-600
33	1 & 2	-1275	-1100	-1000	-530	-475	-350	-250	-250
	3	-1275	-1100	-1000	-555	-500	-375	-250	-250
	4	-1350	-1175	-1050	-605	-550	-425	-300	-300
	5	-1500	-1275	-1150	-730	-675	-550	-425	-425
	6	-1575	-1350	-1250	-855	-800	-675	-550	-550
	7	-1675	-1475	-1350	-980	-925	-800	-675	-675
43	1-3	-1325	-1175	-1050	-605	-550	-425	-300	-300
	4	-1400	-1250	-1100	-630	-575	-450	-325	-325
	5	-1525	-1350	-1200	-760	-700	-575	-450	-450
	6	-1625	-1425	-1300	-880	-850	-725	-600	-600
	7	-1725	-1525	-1400	-980	-950	-825	-700	-700
53	1-4	-1450	-1350	-1225	-780	-775	-675	-550	-550
	5	-1550	-1425	-1325	-855	-850	-750	-625	-625
	6	-1650	-1525	-1425	-1005	-975	-875	-750	-750
	7	-1750	-1625	-1550	-1105	-1050	-950	-825	-825
63	1-5	-1650	-1500	-1375	-955	-850	-750	-625	-625
	6	-1750	-1625	-1475	-1055	-1000	-900	-775	-775
34	1 & 2	-1400	-1275	-1200	-750	-725	-625	-550	-550
	3	-1400	-1275	-1200	-750	-725	-625	-550	-550
	4	-1525	-1400	-1300	-850	-825	-725	-650	-650
	5	-1625	-1500	-1425	-975	-950	-850	-775	-775
	6	-1800	-1675	-1600	-1150	-1125	-1025	-950	-950
44	1-3	-1500	-1375	-1300	-850	-825	-725	-650	-650
	4	-1575	-1475	-1350	-900	-875	-775	-700	-700
	5	-1650	-1550	-1450	-1000	-975	-875	-800	-800
	6	-1825	-1700	-1625	-1175	-1150	-1050	-975	-975
54	1-4	-1600	-1500	-1425	-925	-925	-825	-775	-775
	5	-1700	-1600	-1500	-1000	-1000	-900	-850	-850

Mike	
Range	Diff.
24 & Below	-2075
25-26	-2075
27-29	-1200
30-32	-850
33-34	-625
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-250
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-300
20.0 - 20.9	-300
21.0 - 21.9	-275
22.0 - 22.9	-250
23.0 - 23.9	-225
24.0 - 24.9	-225
25.0 - 25.9	-150
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	25
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-550
Other - Level 2	-600
Plastic - Level 1	-1500
Plastic - Level 2	-2000

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-275	-190	10	160	375	425	500	525
	3	-350	-240	-40	135	300	400	475	500
	4	-375	-275	-150	125	275	350	400	400
	5	-500	-300	-250	25	175	325	325	325
	6	-675	-500	-425	-175	-150	-100	-100	-100
	7	-750	-550	-500	-250	-225	-175	-175	-175
31	1 & 2	-425	-290	-90	85	275	375	475	500
	3	-475	-315	-115	85	275	375	450	475
	4	-525	-375	-250	75	150	250	275	275
	5	-600	-425	-350	-75	25	175	175	175
	6	-775	-600	-475	-250	-250	-225	-225	-225
	7	-875	-650	-550	-300	-300	-275	-275	-275
41	1 & 2	-575	-400	-200	45	175	225	250	250
	3	-600	-425	-225	45	100	200	225	225
	4	-650	-450	-375	66.61	75	100	125	125
	5	-725	-525	-450	-150	-50	25	25	25
	6	-875	-700	-625	-350	-350	-250	-250	-250
	7	-1000	-800	-725	-450	-400	-325	-325	-325
51	1 & 2	-750	-550	-475	-125	-25	25	25	25
	3	-750	-550	-475	-125	-25	25	25	25
	4	-775	-550	-550	-200	-75	-25	-25	-25
	5	-825	-650	-650	-350	-250	-175	-175	-175
	6	-975	-750	-750	-475	-400	-275	-275	-275
	7	-1075	-850	-850	-575	-500	-400	-400	-400
61	1-5	-900	-725	-725	-400	-300	-200	-200	-200
	6	-1025	-800	-800	-600	-500	-375	-375	-375
	7	-1125	-950	-925	-675	-575	-475	-475	-475
71	1-6	-1100	-925	-875	-675	-575	-500	-500	-500
	7	-1175	-950	-925	-700	-650	-575	-575	-575
12 & 22	1 & 2	-650	-425	-250	75	150	275	350	350
	3	-700	-475	-275	75	100	225	300	300
	4	-725	-525	-450	-150	50	150	225	225
	5	-850	-650	-625	-325	-125	-125	-75	-75
	6	-1000	-775	-750	-425	-350	-300	-250	-250
	7	-1075	-875	-825	-500	-425	-375	-325	-325
32	1 & 2	-725	-500	-325	-75	-25	0	75	75
	3	-775	-550	-350	-125	-50	0	75	75
	4	-850	-625	-525	-200	-75	0	50	50
	5	-975	-825	-750	-400	-250	-200	-150	-150
	6	-1125	-900	-850	-525	-450	-400	-350	-350
	7	-1225	-1000	-900	-625	-525	-475	-425	-425
42	1-3	-875	-650	-575	-225	-150	-25	25	25
	4	-925	-725	-600	-250	-175	-50	0	0
	5	-1025	-875	-775	-425	-275	-250	-200	-200
	6	-1225	-925	-875	-550	-475	-425	-375	-375
	7	-1300	-1075	-975	-675	-550	-500	-450	-450
52	1-4	-1150	-900	-850	-575	-450	-400	-350	-350
	5	-1225	-1000	-925	-625	-500	-450	-400	-400
	6	-1425	-1175	-1100	-750	-650	-600	-550	-550
	7	-1500	-1275	-1200	-850	-750	-700	-650	-650
62	1-5	-1275	-1075	-1025	-725	-625	-575	-525	-525
	6	-1450	-1225	-1175	-875	-800	-750	-700	-700

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1050	-825	-750	-400	-325	-300	-250	-250
	3	-1100	-850	-775	-425	-350	-325	-275	-275
	4	-1125	-925	-850	-475	-400	-375	-325	-325
	5	-1225	-1000	-950	-600	-525	-475	-425	-425
	6	-1325	-1075	-1025	-675	-600	-550	-500	-500
	7	-1400	-1175	-1100	-725	-700	-650	-600	-600
33	1 & 2	-1175	-900	-825	-450	-400	-375	-325	-325
	3	-1175	-900	-825	-450	-400	-375	-325	-325
	4	-1250	-975	-900	-500	-450	-425	-375	-375
	5	-1375	-1075	-1000	-650	-575	-525	-475	-475
	6	-1425	-1150	-1125	-700	-675	-625	-575	-575
	7	-1500	-1250	-1175	-825	-775	-725	-675	-675
43	1-3	-1225	-1000	-925	-525	-475	-425	-375	-375
	4	-1300	-1075	-975	-550	-475	-425	-375	-375
	5	-1400	-1150	-1050	-675	-600	-550	-500	-500
	6	-1475	-1225	-1150	-775	-750	-700	-650	-650
	7	-1550	-1325	-1225	-850	-825	-775	-725	-725
53	1-4	-1400	-1250	-1150	-725	-675	-625	-575	-575
	5	-1475	-1275	-1200	-825	-775	-725	-675	-675
	6	-1600	-1375	-1300	-925	-900	-850	-800	-800
	7	-1675	-1450	-1400	-1050	-1025	-975	-925	-925
63	1-5	-1625	-1400	-1300	-875	-800	-750	-700	-700
	6	-1675	-1475	-1350	-1025	-975	-925	-875	-875
34	1 & 2	-1300	-1075	-1000	-625	-600	-550	-500	-500
	3	-1300	-1075	-1000	-625	-600	-550	-500	-500
	4	-1425	-1200	-1100	-725	-700	-650	-600	-600
	5	-1500	-1275	-1200	-850	-825	-775	-725	-725
	6	-1650	-1425	-1350	-1050	-1025	-975	-925	-925
44	1-3	-1425	-1200	-1125	-750	-725	-675	-625	-625
	4	-1500	-1300	-1175	-800	-775	-725	-675	-675
	5	-1575	-1350	-1250	-900	-875	-825	-775	-775
	6	-1725	-1500	-1425	-1125	-1100	-1050	-1000	-1000
54	1-4	-1525	-1325	-1250	-875	-850	-800	-750	-750
	5	-1600	-1375	-1275	-1000	-975	-925	-875	-875

Mike	
Range	Diff.
24 & Below	-2075
25-26	-2075
27-29	-1200
30-32	-850
33-34	-625
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-250
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-300
20.0 - 20.9	-300
21.0 - 21.9	-275
22.0 - 22.9	-250
23.0 - 23.9	-225
24.0 - 24.9	-225
25.0 - 25.9	-150
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	25
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-125
78.0 - 78.9	-95
79.0 - 79.9	-80
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-550
Other - Level 2	-600
Plastic - Level 1	-1500
Plastic - Level 2	-2000

DESERT SOUTHWEST DIFFERENCES

Color	Leaf	Staple						Mike		
		33	34	35	36	37	38	Range	Diff.	
11 & 21	1 & 2	-100	125	575	720	785	870	24 & Below	-1350	
	3	-100	100	500	670	685	770	25-26	-1150	
	4	-300	50	300	385	420	445	27-29	-1050	
	5	-375	-175	25	100	185	185	30-32	-650	
	6	-450	-350	-100	-85	-30	-30	33-34	-450	
	7	-650	-375	-175	-140	-100	-100	35-36	0	
	31	1 & 2	-175	75	525	670	705	780	37-42	25
3		-175	50	425	620	630	705	43-49	0	
4		-350	25	200	335	370	420	50-52	-300	
5		-400	-200	-50	0	70	70	53 & Above	-550	
6		-475	-375	-135	-120	-40	-40			
7		-675	-400	-225	-195	-115	-115			
41	1 & 2	-575	0	50	160	170	220	Strength (Grams per Tex)		
	3	-575	0	35	135	170	220			
	4	-625	66.36	25	85	145	170	Range	Diff.	
	5	-625	-500	-350	-340	-280	-280	21.0 - 21.9	-600	
	6	-800	-675	-450	-440	-390	-390	22.0 - 22.9	-450	
	7	-950	-825	-625	-620	-585	-585	23.0 - 23.9	-300	
	51	1 & 2	-675	-500	-250	-215	-205	-205	24.0 - 24.9	-225
3		-675	-500	-250	-215	-205	-205	25.0 - 25.9	-200	
4		-700	-575	-375	-325	-265	-265	26.0 - 26.9	-125	
5		-800	-750	-575	-550	-500	-500	Base 27.0 - 28.9	0	
6		-950	-850	-650	-650	-600	-600	29.0 - 29.9	0	
7		-1150	-1050	-850	-850	-825	-825	30.0 - 30.9	25	
12 & 22		1 & 2	-475	50	325	385	445	445	31.0 - 32.9	50
	3	-475	50	300	360	420	420	33.0 & above	100	
	4	-575	0	225	285	370	370			
	5	-600	-425	-125	-125	-50	-50			
	6	-750	-625	-325	-325	-250	-250			
	7	-925	-800	-575	-575	-500	-500	Extraneous Matter		
	32	1 & 2	-575	-200	150	235	245	245	Type - Level	Diff.
3		-575	-200	150	235	245	245	Prep - Level 1	-50	
4		-625	-425	0	85	95	95	Prep - Level 2	-800	
5		-675	-675	-400	-400	-400	-400	Other - Level 1	-350	
6		-875	-800	-525	-525	-525	-525	Other - Level 2	-800	
7		-1025	-975	-775	-775	-775	-775	Plastic - Level 1	-350	
42		1-3	-625	-450	-150	-100	-100	-100	Plastic - Level 2	-800
	4	-650	-525	-250	-200	-200	-200	Uniformity		
	5	-725	-700	-450	-450	-450	-450			
	6	-900	-825	-575	-575	-575	-575			
	7	-1100	-1000	-825	-825	-825	-825			
	52	1-4	-850	-725	-500	-450	-450	-450	Unit	Points
5		-900	-800	-575	-575	-575	-575	77.9 & Below	-100	
6		-1000	-900	-675	-675	-675	-675	78.0 - 78.9	-90	
7		-1250	-1150	-975	-950	-950	-950	79.0 - 79.9	-80	
43	1-3	-725	-650	-575	-500	-500	-500	80.0 - 80.9	0	
	4	-825	-750	-625	-575	-575	-575	Base 81.0 - 81.9	0	
	5	-925	-825	-650	-625	-625	-625	82.0 - 82.9	0	
	6	-1025	-925	-900	-900	-900	-900	83.0 - 83.9	30	
	7	-1125	-1050	-1025	-1025	-1025	-1025	84.0 - 84.9	40	
	53	1-4	-975	-875	-800	-800	-800	-800	85.0 - 85.9	50
		5	-1025	-925	-850	-850	-850	-850	86.0 & Above	60
6		-1125	-1025	-950	-950	-950	-950			
7		-1375	-1275	-1275	-1275	-1275	-1275			

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	415	1040	1390	1540	1765	27-29	-1600
	3	365	990	1340	1465	1665	30-32	-1000
	4	75	350	400	500	500	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
							50-52	-500
31	1 & 2	315	940	1290	1415	1590		
	3	265	890	1240	1365	1540		
	4	50	300	330	410	410		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	350	430	440	440	Strength	
	3	50	250	330	340	340	(Grams per Tex)	
	4	66.86	200	280	290	290	Range	Diff.
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-500
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-400
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-300
							Base 27.0 - 28.9	0
51	1 & 2	-675	-225	-175	-175	-175	29.0 - 29.9	0
	3	-700	-250	-200	-200	-200	30.0 - 30.9	75
	4	-750	-300	-275	-275	-275	31.0 - 32.9	125
	5	-775	-375	-325	-325	-325	33.0 & Above	250
	6	-900	-800	-800	-800	-800		
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	125	575	830	965	1140		
	3	50	500	780	890	1040		
	4	-75	325	375	440	440		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
32	1 & 2	0	250	325	375	475	Extraneous Matter	
	3	-50	200	275	325	425	Type - Level	Diff.
	4	-200	25	50	100	100	Prep - Level 1	-50
	5	-525	-275	-275	-275	-275	Prep - Level 2	-800
	6	-675	-475	-475	-475	-475	Other - Level 1	-350
	7	-850	-750	-750	-750	-750	Other - Level 2	-925
							Plastic - Level 1	-350
42	1-3	-450	-100	-75	-75	-75	Plastic - Level 2	-925
	4	-500	-175	-150	-150	-150		
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
							79.0 - 79.9	-40
							80.0 - 80.9	0
							Base 81.0 - 81.9	0
33	1 & 2	-500	-500	-500	-500	-500	82.0 - 82.9	50
	3	-500	-500	-500	-500	-500	83.0 - 83.9	80
	4	-600	-600	-600	-600	-600	84.0 - 84.9	90
	5	-800	-800	-800	-800	-800	85.0 - 85.9	100
	6	-1075	-1075	-1075	-1075	-1075	86.0 & Above	110
	7	-1225	-1225	-1225	-1225	-1225		
43	1-3	-875	-875	-875	-875	-875		
	4	-925	-925	-925	-925	-925		
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. ^{1/}

AMERICAN PIMA SPOT QUOTATIONS

Color	Leaf	Staple			
		44	46	48	50
1	1	116.75	125.50	126.50	126.50
	2	116.50	125.25	126.25	126.25
	3	108.75	116.50	116.50	116.50
	4				
	5				
	6				
2	1	116.50	125.25	126.25	126.25
	2	116.25	125.00	126.00	126.00
	3	108.50	116.25	116.25	116.25
	4	98.50	106.75	106.75	106.75
	5				
	6				
3	1	106.25	114.00	114.00	114.00
	2	103.75	111.50	111.50	111.50
	3	102.50	110.25	110.25	110.25
	4	93.50	101.25	101.25	101.25
	5	77.50	84.75	84.75	84.75
	6				
4	1	87.25	95.00	95.75	95.75
	2	87.00	94.75	95.00	95.00
	3	86.75	94.50	94.25	94.25
	4	81.75	89.50	89.25	89.25
	5	70.50	78.25	78.00	78.00
	6				
5	1				
	2	66.25	76.25	76.00	76.00
	3	66.25	75.75	76.00	76.00
	4	66.25	70.25	70.00	70.00
	5	66.00	70.00	69.75	69.75
	6				
6	1				
	2	58.50	61.50	61.25	61.25
	3	58.50	61.50	61.25	61.25
	4	58.50	61.50	61.25	61.25
	5	58.25	61.25	61.00	61.00
	6	57.75	60.75	60.50	60.50

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on December 20, 2018.

Mike

Range	Diff.
26 & Below	-1900
27-29	-1400
30-32	-900
33-34	-400
35 & Above	0

Strength

(Grams per Tex)	
Range	Diff.
34.9 & Below	-1350
35.0 – 35.9	-1100
36.0 – 36.9	-850
37.0 – 37.9	0
38.0 – 38.9	0
39.0 – 39.9	0
40.0 & Above	0

Extraneous Matter

Type - Level	Diff.
Prep - Level 1	-810
Prep - Level 2	-1095
Other - Level 1	-715
Other - Level 2	-1035
Plastic - Level 1	-715
Plastic - Level 2	-1035

^{1/} Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

UNITED STATES AVERAGE DIFFERENCES

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-313	-233	-69	186	441	569	636	687
	3	-375	-253	-82	157	388	534	579	626
	4	-425	-280	-192	68	193	305	346	349
	5	-513	-395	-308	-82	57	140	168	168
	6	-675	-505	-450	-314	-221	-173	-158	-158
	7	-750	-600	-567	-421	-346	-295	-282	-282
31	1 & 2	-413	-258	-107	125	381	519	578	621
	3	-450	-268	-115	114	345	491	539	581
	4	-525	-315	-242	50	154	234	265	272
	5	-588	-425	-333	-125	-4	65	91	91
	6	-738	-530	-467	-343	-266	-228	-209	-209
	7	-825	-625	-583	-439	-379	-342	-324	-324
41	1 & 2	-538	-340	-254	56	157	245	255	273
	3	-563	-350	-263	42	105	195	209	226
	4	-613	-380	-346	68.00	68	145	169	176
	5	-713	-510	-450	-264	-143	-80	-66	-66
	6	-863	-615	-583	-461	-371	-313	-309	-309
	7	-975	-725	-721	-600	-511	-478	-480	-517
51	1 & 2	-713	-580	-471	-318	-175	-134	-129	-129
	3	-713	-620	-475	-339	-193	-149	-144	-144
	4	-750	-640	-504	-389	-261	-221	-209	-209
	5	-800	-725	-675	-514	-389	-346	-336	-336
	6	-963	-805	-779	-639	-564	-525	-518	-518
	7	-1063	-890	-904	-779	-696	-661	-657	-657
61	1-5	-875	-780	-715	-520	-465	-420	-420	-420
	6	-1025	-885	-835	-685	-645	-595	-595	-595
	7	-1125	-1000	-955	-775	-735	-690	-690	-690
71	1-6	-1075	-1080	-1025	-860	-820	-780	-780	-780
	7	-1163	-1120	-1075	-895	-875	-835	-835	-835
12 & 22	1 & 2	-688	-350	-229	64	214	356	409	437
	3	-725	-370	-242	43	168	309	366	391
	4	-763	-395	-338	-32	100	205	251	255
	5	-863	-565	-496	-268	-96	-50	-11	-11
	6	-1025	-685	-642	-468	-350	-311	-279	-279
	7	-1125	-770	-754	-600	-511	-471	-439	-439
32	1 & 2	-763	-465	-346	-86	54	116	142	156
	3	-800	-480	-358	-107	21	87	114	128
	4	-863	-530	-417	-225	-75	-20	3	3
	5	-975	-680	-571	-396	-279	-229	-214	-214
	6	-1138	-770	-733	-564	-461	-429	-414	-414
	7	-1263	-875	-842	-689	-607	-582	-568	-568
42	1-3	-863	-625	-521	-311	-161	-111	-96	-96
	4	-913	-665	-542	-350	-229	-179	-164	-164
	5	-1038	-800	-688	-500	-368	-329	-314	-314
	6	-1250	-890	-833	-654	-579	-550	-536	-536
	7	-1350	-985	-925	-793	-714	-693	-679	-679
52	1-4	-1125	-825	-725	-604	-529	-504	-489	-489
	5	-1200	-900	-833	-686	-611	-593	-579	-579
	6	-1413	-1050	-975	-829	-768	-750	-736	-736
	7	-1500	-1135	-1104	-968	-914	-886	-871	-871
62	1-5	-1250	-1030	-955	-770	-735	-710	-690	-690
	6	-1450	-1195	-1120	-915	-885	-855	-835	-835

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1113	-925	-838	-438	-363	-288	-213	-213
	3	-1150	-950	-863	-463	-388	-313	-238	-238
	4	-1188	-1025	-925	-513	-438	-363	-288	-288
	5	-1300	-1113	-1038	-638	-563	-475	-400	-400
	6	-1413	-1188	-1100	-725	-650	-563	-488	-488
	7	-1500	-1288	-1200	-813	-763	-675	-600	-600
33	1 & 2	-1225	-1000	-913	-493	-458	-408	-358	-358
	3	-1225	-1000	-913	-502	-467	-417	-358	-358
	4	-1300	-1075	-975	-568	-533	-483	-425	-425
	5	-1438	-1175	-1075	-727	-683	-625	-567	-567
	6	-1500	-1250	-1188	-877	-850	-792	-733	-733
	7	-1588	-1363	-1263	-1010	-975	-917	-858	-858
43	1-3	-1275	-975	-817	-633	-593	-554	-529	-529
	4	-1350	-1020	-867	-679	-625	-589	-564	-564
	5	-1463	-1070	-963	-819	-764	-736	-711	-711
	6	-1550	-1150	-1050	-919	-896	-871	-846	-846
	7	-1638	-1275	-1158	-1044	-1021	-996	-971	-971
53	1-4	-1425	-1120	-1008	-813	-775	-750	-721	-721
	5	-1513	-1195	-1104	-905	-875	-850	-821	-821
	6	-1625	-1310	-1192	-1001	-971	-946	-917	-917
	7	-1713	-1375	-1329	-1130	-1108	-1083	-1054	-1054
63	1-5	-1638	-1295	-1220	-1001	-955	-925	-890	-890
	6	-1713	-1380	-1295	-1076	-1045	-1015	-980	-980
34	1 & 2	-1350	-1175	-1100	-688	-663	-588	-525	-525
	3	-1350	-1175	-1100	-688	-663	-588	-525	-525
	4	-1475	-1300	-1200	-788	-763	-688	-625	-625
	5	-1563	-1388	-1313	-913	-888	-813	-750	-750
	6	-1725	-1550	-1475	-1100	-1075	-1000	-938	-938
44	1-3	-1463	-1288	-1213	-800	-775	-700	-638	-638
	4	-1538	-1388	-1263	-850	-825	-750	-688	-688
	5	-1613	-1450	-1350	-950	-925	-850	-788	-788
	6	-1775	-1600	-1525	-1150	-1125	-1050	-988	-988
54	1-4	-1563	-1413	-1338	-900	-888	-813	-763	-763
	5	-1650	-1488	-1388	-1000	-988	-913	-863	-863

Mike	
Range	Diff.
24 & Below	-1833
25-26	-1371
27-29	-982
30-32	-611
33-34	-371
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-279
53 & Above	-404

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-300
20.0 - 20.9	-300
21.0 - 21.9	-358
22.0 - 22.9	-296
23.0 - 23.9	-242
24.0 - 24.9	-254
25.0 - 25.9	-200
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	32
31.0 - 32.9	54
33.0 & Above	79

Uniformity	
Unit	Points
77.9 & Below	-97
78.0 - 78.9	-83
79.0 - 79.9	-71
80.0 - 80.9	-4
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	27
84.0 - 84.9	34
85.0 - 85.9	41
86.0 & Above	49

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-157
Prep - Level 2	-714
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-421
Other - Level 2	-756
Plastic - Level 1	-693
Plastic - Level 2	-1156



Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service
Cotton and Tobacco Market News

15-Jan-19

Volume 101, No. 116

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract.

PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/						
Color	Leaf	Staple				
		33	34	35	36	37
11	1 & 2	-68	152	360	454	507
	3	-83	127	305	419	452
	4	-190	75	185	307	339
	5	-305	-75	65	165	187
21	1 & 2	-68	152	360	454	507
	3	-83	127	305	419	452
	4	-190	75	185	307	339
	5	-305	-75	65	165	187
31	1 & 2	-108	97	305	409	461
	3	-118	92	270	384	421
	4	-240	55	140	237	259
	5	-335	-110	5	85	104
41	1 & 2	-255	49	130	217	229
	3	-265	44	87	172	189
	4	-360	0	55	122	149
	5	-460	-240	-135	-58	-41
51	1 & 2	-470	-240	-150	-103	-96
	3	-475	-260	-165	-113	-106
	4	-505	-315	-235	-185	-168
	5	-665	-460	-375	-330	-315
12	1 & 2	-250	55	165	282	324
	3	-265	45	125	237	284
22	1 & 2	-250	55	165	282	324
	3	-265	45	125	237	284
32	1 & 2	-365	-100	25	87	114
	3	-380	-120	-5	62	89
Strength	25.0 - 25.9	-235				

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>
<https://mymarketnews.ams.usda.gov>

Daily Spot Cotton Quotations

Volume 101, No. 116

15-Jan-19

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS			
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program				
	N.Y. Futures	Staple 34	Staple 35	Today	Season			
	<i>Points</i>	<i>Cents per pound</i>		<i>Bales</i>	<i>Bales</i>			
Southeast	-200 Mar-19	70.36	72.61	0	14,186			
North Delta	-275 Mar-19	69.61	71.36	1,203	3,844			
South Delta	-275 Mar-19	69.61	71.36	0	1,723			
East TX-OK	-575 Mar-19	66.61	69.11	1,968	117,711			
West Texas	-575 Mar-19	66.61	69.36	8,128	153,142			
Desert SW	-600 Mar-19	66.36	70.61	720	11,215			
SJ Valley	-550 Mar-19	66.86	75.76	0	0			
Average	-436 Mar-19	68.00	71.45	Upland Total				
Previous day	-436 Mar-19	68.63	72.08	12,019	301,821			
AMERICAN PIMA SPOT PRICE QUOTATIONS								
American Pima	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46	AP Total				
	125.00	102.50	110.25	0	1,052			
ICE FUTURES US - CONTRACT NO. 2 1/			7-MARKET		Jan 11 - Jan 17			
COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER			BASE QUOTATIONS		ADJ. WORLD PRICE			
Month	<i>Cents per pound</i>			FOR UPLAND COTTON				
	Today	Previous	Change					
Mar-19	72.36	72.99	-0.63	Season high				
May-19	73.72	74.51	-0.79					
Jul-19	74.89	75.79	-0.90	8/2/2018	85.65			
Oct-19	73.74	74.62	-0.88	Season low				
Dec-19	73.44	74.10	-0.66					
Mar-20	74.60	75.26	-0.66					
May-20	75.00	75.69	-0.69					
Jul-20	75.35	76.04	-0.69					
Oct-20	73.55	74.15	-0.60	1/3/2019	66.40			
Dec-20	73.15	73.60	-0.45					
CC ADJUSTMENT								
0.00								
FC ADJUSTMENT								
2017 2018								
0.00 0.00								
LOAN DEFICIENCY PMT.								
0.00								
Pima Competitiveness Payment								
0.00								
PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/								
Staple 33	Color							
	11	21	31	41	51	12	22	32
Leaf 1 & 2	-68	-68	-108	-255	-470	-250	-250	-365
3	-83	-83	-118	-265	-475	-265	-265	-380
4	-190	-190	-240	-360	-505	NOT TENDERABLE		
5	-305	-305	-335	-460	-665	NOT TENDERABLE		
Staple 34								
Leaf 1 & 2	152	152	97	49	-240	55	55	-100
3	127	127	92	44	-260	45	45	-120
4	75	75	55	0	-315	NOT TENDERABLE		
5	-75	-75	-110	-240	-460	NOT TENDERABLE		
Staple 35								
Leaf 1 & 2	360	360	305	130	-150	165	165	25
3	305	305	270	87	-165	125	125	-5
4	185	185	140	55	-235	NOT TENDERABLE		
5	65	65	5	-135	-375	NOT TENDERABLE		
Staple 36								
Leaf 1 & 2	454	454	409	217	-103	282	282	87
3	419	419	384	172	-113	237	237	62
4	307	307	237	122	-185	NOT TENDERABLE		
5	165	165	85	-58	-330	NOT TENDERABLE		
Staple 37								
Leaf 1 & 2	507	507	461	229	-96	324	324	114
3	452	452	421	189	-106	284	284	89
4	339	339	259	149	-168	NOT TENDERABLE		
5	187	187	104	-41	-315	NOT TENDERABLE		

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.