

Quality of Cotton Classed by State

mp_cn811

Volume 20, No. 20

14-Dec-18

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **STATE**,
For The Week Ending DECEMBER 13, 2018

State	Week		Season	
	Gins	Bales	Gins	Bales
UPLAND				
Alabama	28	57,011	29	568,279
Arizona	13	33,012	13	135,365
Arkansas	22	60,803	28	1,084,595
California	7	14,714	14	106,025
Florida	3	6,092	4	51,361
Georgia	59	137,933	59	1,251,409
Kansas	3	6,493	3	30,206
Louisiana	13	17,310	19	380,024
Mississippi	35	87,986	38	1,165,221
Missouri	17	50,298	21	683,864
New Mexico	2	3,068	2	15,045
North Carolina	33	52,242	33	615,089
Oklahoma	11	32,957	11	183,926
South Carolina	16	29,099	16	255,694
Tennessee	18	42,719	22	721,703
Texas	155	472,148	185	4,025,531
Virginia	4	15,156	4	149,839
United States	439	1,119,041	501	11,423,176
Percent Tenderable		70.0		67.4
AMERICAN PIMA				
Arizona	2	877	4	12,333
California	15	37,272	17	352,909
New Mexico *	1	-	1	-
Texas *	1	-	1	-
United States	19	38,149	23	365,242
United States all cotton	456	1,157,190	516	11,788,418

*Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN106

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 13, 2018**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	3	0.3	0.3	*	0.2	10.7	13.7	67.4	59.3	-	-	0.2	1.3	
	4	0.1	0.5	*	0.2	2.7	5.3	8.1	12.0	-	*	0.4	2.5	
	5	*	*	-	*	*	0.4	0.1	0.1	-	-	*	0.2	
	6	-	-	-	-	-	*	-	*	-	-	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	0.4	0.9	*	0.4	13.4	19.5	75.6	71.4	-	*	0.7	4.0
	31	1-2	1.5	1.6	0.4	0.5	15.5	9.9	11.9	9.7	0.1	0.2	1.3	4.0
3		7.8	14.2	4.2	4.6	16.8	11.5	9.6	12.2	4.4	5.5	7.4	26.7	
4		3.8	7.2	1.9	3.2	2.1	1.7	0.5	1.7	4.2	3.4	3.0	13.2	
5		0.4	0.5	0.2	0.4	0.1	0.1	-	0.1	*	0.1	0.2	0.8	
6		*	*	-	*	-	*	-	*	-	-	*	*	
7		-	-	-	-	-	-	-	-	-	-	-	*	
Total		-----	13.5	23.6	6.7	8.7	34.4	23.2	22.0	23.8	8.7	9.2	12.0	44.7
41		1-2	1.6	0.9	1.4	0.6	6.1	6.8	0.1	*	0.4	0.4	2.5	1.0
	3	18.7	15.3	20.1	15.6	19.6	21.1	0.8	0.3	17.4	16.3	30.1	14.8	
	4	28.8	22.5	29.7	30.2	9.4	9.0	0.2	0.1	29.2	36.0	28.8	18.7	
	5	11.7	7.4	6.5	11.1	2.4	1.5	*	*	4.8	6.5	4.9	3.8	
	6	2.0	1.0	0.2	1.0	0.3	0.2	-	*	0.2	0.1	0.1	0.1	
	7	0.1	*	*	*	*	*	-	*	-	-	*	*	
	Total	-----	62.8	47.2	57.9	58.5	37.8	38.5	1.1	0.5	51.9	59.4	66.5	38.5
	51	1-2	*	*	0.3	0.1	0.2	0.3	-	-	*	*	0.1	*
3		0.7	0.4	5.1	1.6	0.8	2.3	*	*	1.6	1.4	1.3	0.5	
4		2.6	1.3	10.7	6.2	0.4	2.4	-	-	7.7	5.7	3.2	1.1	
5		3.2	1.4	6.7	5.1	0.1	0.7	-	-	4.8	3.6	1.5	0.6	
6		1.4	0.6	1.0	0.8	0.1	0.1	-	-	0.5	0.3	0.3	0.1	
7		0.3	0.1	*	*	*	*	-	-	-	-	*	*	
Total		-----	8.2	3.8	24.0	13.7	1.6	5.8	*	*	14.6	11.1	6.4	2.3
61		1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	*	-	*	
	4	-	*	-	*	-	-	-	-	*	0.1	-	-	
	5	*	*	-	*	-	-	-	-	0.1	*	*	*	
	6	*	*	*	*	-	-	-	-	-	-	*	*	
	7	*	*	*	*	-	-	-	-	-	*	-	-	
	Total	-----	*	*	*	*	-	*	-	-	0.1	0.1	*	*
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	*	
4		-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22		1-2	*	*	-	*	0.2	2.4	0.3	0.7	-	*	*	0.1
	3	*	*	-	*	0.5	1.2	0.3	0.5	-	-	*	0.1	
	4	-	*	-	*	*	0.4	*	*	-	-	*	*	
	5	-	-	-	-	-	0.1	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	*	*	-	*	0.7	4.1	0.6	1.3	-	*	0.1	0.2
	32	1-2	0.1	0.1	*	*	0.5	0.2	0.2	0.5	-	*	0.2	0.3
3		0.7	1.6	0.1	0.3	2.4	1.2	0.4	2.0	0.2	0.2	1.4	2.3	
4		0.6	1.4	0.1	0.2	0.3	0.4	0.1	0.3	0.3	0.2	0.6	1.1	
5		0.1	0.2	*	*	*	0.2	*	*	-	*	0.1	0.1	
6		*	*	-	*	-	0.1	-	-	-	-	*	*	
7		-	*	-	-	-	*	-	-	-	-	-	-	
Total		-----	1.5	3.4	0.2	0.6	3.3	2.2	0.6	2.9	0.5	0.3	2.3	3.8
42		1-2	0.2	0.2	*	0.1	0.1	0.2	*	*	*	0.1	0.2	0.1
	3	2.2	4.7	1.5	4.0	2.9	1.7	0.1	0.1	3.2	2.3	3.1	1.5	
	4	3.9	8.6	4.1	7.6	2.8	1.9	*	*	7.4	4.4	4.1	2.5	
	5	2.4	3.0	1.1	2.2	0.7	0.4	-	*	1.2	1.0	0.9	0.7	
	6	0.5	0.4	*	0.2	0.1	0.1	-	-	*	*	*	*	
	7	0.1	*	-	*	*	*	-	-	-	-	*	*	
	Total	-----	9.3	16.9	6.8	14.1	6.6	4.2	0.1	0.1	11.9	7.8	8.3	4.8
	52	1-2	*	*	*	*	*	*	-	*	-	*	*	*
3		0.4	0.3	0.2	0.3	0.1	0.2	-	-	1.0	1.2	0.2	0.1	
4		0.6	0.8	1.3	1.3	0.2	0.8	-	-	5.4	5.2	0.5	0.2	
5		0.6	0.6	0.9	1.1	0.2	0.3	-	-	2.3	3.1	0.3	0.1	
6		0.1	0.2	0.1	0.2	*	*	-	-	0.2	0.5	0.1	*	
7		*	*	*	*	*	*	-	-	*	*	*	*	
Total		-----	1.7	1.9	2.5	2.9	0.4	1.4	-	*	8.9	10.0	1.0	0.4

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 13, 2018**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	*	-	*	-	-	-	*	-	*
	4	-	*	*	*	-	-	-	-	0.1	0.1	*	*
	5	*	*	*	*	-	*	-	-	*	0.1	-	*
	6	*	*	*	*	-	-	-	-	*	*	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	-
Total	-----	*	*	*	*	-	*	-	-	0.1	0.2	*	*
13 & 23	1-2	-	*	-	*	-	0.1	-	*	-	-	*	*
	3	*	*	-	*	0.4	0.1	-	*	-	-	*	*
	4	-	-	-	*	0.1	0.1	-	-	-	-	*	*
	5	-	-	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	-----	*	*	-	*	0.5	0.3	-	*	-	-	*	*
33	1-2	*	*	-	*	-	*	-	*	-	-	0.1	0.1
	3	0.1	0.1	*	*	0.1	0.1	-	*	-	*	0.3	0.3
	4	0.1	0.1	*	*	0.2	0.1	-	*	*	*	0.2	0.1
	5	*	*	-	*	0.1	0.1	-	-	-	-	*	*
	6	*	*	-	-	*	*	-	-	-	-	*	*
	7	-	*	-	-	-	*	-	-	-	-	-	-
Total	-----	0.2	0.2	*	*	0.5	0.3	-	*	*	*	0.5	0.5
43	1-2	*	*	-	*	-	*	-	*	-	-	*	*
	3	0.4	0.3	0.2	0.2	*	*	-	*	0.6	0.2	0.6	0.2
	4	0.7	0.8	0.7	0.4	0.3	0.2	-	*	0.7	0.4	0.9	0.3
	5	0.4	0.4	0.2	0.2	0.1	0.1	-	-	0.1	0.1	0.2	0.1
	6	0.1	0.1	*	*	*	*	-	-	-	*	*	*
	7	*	*	-	-	-	*	-	-	-	-	*	*
Total	-----	1.6	1.5	1.1	0.8	0.5	0.3	-	*	1.4	0.7	1.8	0.6
53	1-2	-	*	-	*	-	*	-	*	-	-	*	*
	3	0.1	0.1	*	*	-	*	-	*	0.1	0.1	*	*
	4	0.2	0.2	0.3	0.1	*	*	-	-	0.9	0.4	0.1	*
	5	0.1	0.1	0.2	0.1	*	*	-	-	0.6	0.4	0.1	*
	6	*	*	*	*	*	*	-	-	*	0.1	*	*
	7	*	*	-	*	-	*	-	-	-	*	*	*
Total	-----	0.5	0.4	0.6	0.3	*	*	*	*	1.7	0.9	0.2	0.1
63	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	*	-	*
	4	*	*	*	*	-	*	-	*	-	*	*	*
	5	-	*	*	*	-	*	-	*	-	*	*	*
	6	-	*	-	*	-	*	-	*	-	*	*	*
	7	-	*	-	*	-	*	-	*	-	*	*	*
Total	-----	*	*	*	*	-	*	-	*	-	*	*	*
24 - 54	1-7	0.3	0.1	0.2	*	0.2	0.1	-	*	-	*	0.2	0.1
25 - 35	1-7	*	*	-	-	-	-	-	-	-	-	*	*
81 - 85 1/	1-7	*	*	*	*	*	*	*	*	*	*	0.2	0.1
All Colors	8 2/	*	*	*	*	*	0.1	*	*	*	*	*	*
EXTRANEIOUS MATTER													
Bark - Level 1		15.5	10.2	2.3	1.4	1.0	0.8	-	*	25.4	21.0	18.9	10.5
Bark - Level 2		-	*	-	-	-	-	-	-	-	*	-	*
Grass - Level 1		*	0.1	0.1	0.1	*	*	-	0.1	-	*	*	0.1
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1		0.1	*	0.1	*	-	*	-	*	0.1	*	0.1	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		*	*	-	*	-	-	-	-	-	-	*	*
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	-	*	*
31		*	*	-	-	-	-	-	*	-	-	*	*
32		*	*	-	*	*	*	-	*	-	*	0.1	0.1
33		0.4	0.4	*	*	0.5	0.2	-	0.1	0.4	0.1	1.2	1.0
34		2.3	2.9	0.2	0.4	3.1	2.4	*	0.1	1.4	0.6	6.7	5.3
35		10.8	10.5	3.3	2.9	8.5	8.4	3.7	2.2	4.1	3.0	14.4	13.6
36		23.8	21.4	15.9	11.9	16.8	20.6	14.2	8.2	20.5	11.4	19.0	18.7
37		39.3	37.2	37.8	36.9	26.8	31.7	26.0	26.5	34.1	34.5	28.6	28.7
38 & longer		23.5	27.5	42.8	47.8	44.3	36.8	56.1	62.8	39.4	50.4	29.8	32.6
Average staple		36.8	36.8	37.4	37.6	37.4	37.2	38.0	38.1	37.2	37.5	36.7	36.8

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 13, 2018**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	3	1.8	2.4	0.2	0.7	0.2	0.8	0.2	0.5	*	0.1	16.6	12.7	
	4	3.6	3.5	0.3	1.2	0.2	0.8	0.1	0.9	0.1	0.2	6.7	6.0	
	5	0.1	0.3	*	0.1	-	*	*	0.1	*	*	0.3	0.1	
	6	-	-	-	-	-	-	-	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	5.6	6.2	0.5	2.0	0.3	1.6	0.3	1.5	0.2	0.3	23.5	18.9
	31	1-2	4.3	5.4	2.3	3.0	0.9	0.9	1.5	1.9	0.8	1.7	23.0	20.4
3		16.9	21.9	12.4	17.1	5.4	6.8	9.7	14.6	12.9	14.3	16.7	25.4	
4		4.9	7.9	2.8	6.9	1.5	3.3	4.3	7.5	7.9	7.5	1.1	2.9	
5		0.6	1.1	0.1	0.4	0.1	0.3	0.2	0.5	0.6	0.8	-	0.1	
6		*	0.1	-	*	-	*	*	*	*	*	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	26.8	36.4	17.7	27.4	7.9	11.4	15.6	24.5	22.2	24.3	40.9	48.8
41		1-2	1.3	0.5	2.7	1.8	0.8	0.8	2.9	1.1	1.4	1.6	3.6	2.4
	3	9.3	8.4	24.7	18.0	26.3	20.6	20.9	16.5	25.8	24.0	18.8	15.6	
	4	19.3	13.2	16.2	19.4	36.4	33.9	31.1	30.9	27.3	23.8	9.5	9.5	
	5	9.5	5.7	1.8	4.5	7.1	9.1	8.5	10.3	7.1	5.1	2.2	3.0	
	6	0.8	0.7	0.1	0.3	0.1	0.4	0.4	0.7	0.8	0.3	0.1	0.3	
	7	*	*	-	-	-	*	*	*	*	*	-	-	
	Total	-----	40.3	28.5	45.6	44.0	70.7	64.9	63.9	59.5	62.4	54.9	34.3	30.9
	51	1-2	-	-	1.1	0.2	*	*	*	*	0.1	0.1	-	-
3		-	*	4.9	1.4	1.3	0.5	0.8	0.3	2.2	1.2	-	*	
4		0.3	0.3	5.0	1.6	6.5	3.6	3.5	1.5	3.1	1.8	0.5	0.3	
5		2.0	0.6	1.4	0.6	4.9	2.9	2.5	1.5	2.2	0.8	0.3	0.2	
6		1.1	0.3	0.1	0.1	0.4	0.3	0.4	0.3	0.3	0.1	-	*	
7		*	*	-	-	-	*	*	*	-	-	-	-	
Total		-----	3.5	1.2	12.5	3.8	13.0	7.4	7.3	3.7	8.0	4.1	0.7	0.6
61		1-2	-	-	-	-	-	-	-	-	-	*	-	-
	3	-	-	*	*	-	*	-	*	0.1	*	-	-	
	4	-	-	*	*	-	*	-	*	0.1	*	-	-	
	5	-	-	-	*	-	-	*	*	*	*	-	-	
	6	-	-	-	*	*	*	*	*	-	-	-	-	
	7	-	-	-	-	-	-	*	*	-	-	-	-	
	Total	-----	-	-	*	*	*	*	*	*	0.2	*	-	-
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	-	-	-	-	-	-	-	-	-	
12 & 22		1-2	-	*	-	*	*	*	-	*	-	*	-	*
	3	*	1.0	-	*	-	*	*	*	*	*	-	*	
	4	-	0.5	-	*	-	*	*	*	*	*	-	-	
	5	-	*	-	-	-	-	-	-	-	*	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	*	1.5	-	0.1	*	*	*	*	*	*	-	*
	32	1-2	*	*	0.1	0.2	*	*	0.1	0.1	*	0.1	-	-
3		2.6	1.3	1.0	1.2	0.3	0.4	0.7	0.5	0.5	0.8	-	*	
4		3.4	2.5	0.5	0.7	0.2	0.2	0.7	0.4	0.5	0.5	*	0.1	
5		0.5	1.0	*	*	*	*	0.1	*	*	*	-	*	
6		-	*	-	*	-	-	*	*	*	*	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	6.6	4.9	1.7	2.1	0.5	0.7	1.5	1.0	1.0	1.5	*	0.1
42		1-2	-	-	0.5	0.4	0.1	0.1	0.1	0.1	0.1	0.4	-	*
	3	0.1	*	5.2	4.5	1.8	3.7	1.7	1.4	1.5	5.1	0.3	0.3	
	4	2.3	1.1	5.1	5.7	3.6	6.5	3.7	3.5	1.7	4.6	0.2	0.1	
	5	2.5	1.2	1.0	1.3	0.7	1.7	2.2	2.0	0.3	0.8	-	-	
	6	0.2	0.2	*	0.1	*	0.1	0.2	0.2	*	*	-	-	
	7	-	*	-	*	-	-	-	*	-	*	-	-	
	Total	-----	5.1	2.5	11.8	12.0	6.3	12.0	7.8	7.1	3.6	10.9	0.5	0.4
	52	1-2	-	-	0.1	0.1	-	*	*	*	*	0.1	-	-
3		-	-	1.8	1.6	*	0.1	0.2	0.1	0.4	1.0	-	*	
4		2.9	0.6	2.6	2.3	0.2	0.7	0.5	0.5	0.6	1.3	-	-	
5		5.9	1.5	0.9	0.9	0.2	0.6	0.4	0.8	0.1	0.5	-	-	
6		1.1	0.3	*	0.1	*	0.1	0.2	0.2	*	0.1	-	-	
7		*	*	-	*	-	-	*	*	-	*	-	-	
Total		-----	9.9	2.5	5.4	5.0	0.5	1.5	1.3	1.6	1.2	2.9	-	*

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 13, 2018**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	-	-	*	*	-	*	-	-
	3	-	-	-	*	*	*	*	*	0.1	*	-	-
	4	-	-	-	*	-	*	*	*	0.2	*	-	-
	5	-	-	-	*	-	-	*	*	*	*	-	-
	6	*	*	-	*	-	-	0.1	*	-	*	-	-
	7	-	-	-	*	-	-	*	*	-	-	-	-
Total	-----	*	*	*	0.1	*	*	0.1	*	0.3	0.1	-	-
13 & 23	1-2	-	*	-	*	*	*	-	-	-	*	-	0.1
	3	-	1.0	-	-	-	-	-	-	*	*	-	0.1
	4	-	1.2	-	-	-	-	-	-	*	*	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	-----	-	2.2	-	*	*	*	-	-	*	*	-	0.1
33	1-2	-	*	*	*	*	*	*	*	*	*	-	*
	3	0.2	0.6	0.1	0.1	*	*	0.1	*	0.1	*	-	0.1
	4	0.4	2.3	0.1	*	0.1	*	0.1	*	*	*	-	-
	5	0.7	1.1	*	*	*	*	*	*	*	*	-	-
	6	0.2	0.1	-	-	-	-	-	-	-	*	-	-
	7	*	*	-	-	-	-	-	-	-	*	-	-
Total	-----	1.4	4.1	0.3	0.1	0.1	*	0.1	0.1	0.1	0.1	-	0.1
43	1-2	-	-	0.1	*	*	*	*	*	*	*	-	*
	3	-	*	1.0	0.4	0.2	0.1	0.3	0.1	0.2	0.2	-	*
	4	0.2	0.1	1.6	0.8	0.4	0.2	0.5	0.2	0.3	0.3	-	*
	5	0.2	0.2	0.5	0.3	0.1	0.1	0.3	0.2	0.1	0.1	-	-
	6	0.2	0.1	*	*	*	*	0.1	*	*	*	-	-
	7	-	-	-	-	-	*	-	*	*	*	-	-
Total	-----	0.5	0.4	3.2	1.5	0.6	0.4	1.3	0.6	0.7	0.6	-	*
53	1-2	-	-	*	*	-	-	-	*	-	*	-	-
	3	-	-	0.2	0.3	*	*	*	*	*	0.1	-	-
	4	-	*	0.3	0.6	*	*	0.1	0.1	*	0.1	-	-
	5	-	-	0.3	0.4	*	*	0.1	0.1	*	*	-	*
	6	-	*	*	*	*	*	0.1	*	-	*	-	-
	7	-	*	-	*	-	*	*	*	-	*	-	-
Total	-----	-	*	0.8	1.4	*	0.1	0.4	0.2	0.1	0.2	-	*
63	1-2	-	-	*	*	-	-	-	*	-	*	-	-
	3	-	-	-	0.1	-	-	-	*	-	*	-	-
	4	-	-	*	0.1	-	*	*	*	-	*	-	-
	5	-	-	-	0.1	-	-	-	*	-	*	-	-
	6	*	*	-	*	-	-	-	*	-	*	-	-
	7	-	-	*	*	-	-	*	*	-	*	-	-
Total	-----	*	*	*	0.3	-	*	*	*	-	*	-	-
24 - 54	1-7	0.1	7.1	0.4	0.2	0.1	*	0.2	0.1	0.1	*	-	*
25 - 35	1-7	-	1.1	*	*	-	-	*	*	-	-	-	-
81 - 85 1/	1-7	*	1.2	0.1	*	*	*	*	*	*	*	*	*
All Colors	82/	*	*	*	*	*	*	*	*	*	*	*	*
EXTRANEIOUS MATTER													
Bark - Level 1		26.6	23.9	4.9	2.3	1.1	0.7	1.6	0.9	2.2	1.9	0.5	0.6
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	0.1	0.1	0.1	*	0.1	0.1	0.2	*	*	-	-
Grass - Level 2		-	-	-	-	-	-	*	*	-	-	-	-
Prep - Level 1		-	-	-	-	*	*	0.7	0.5	-	-	-	-
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	*	*	*	-	*	*	*	-	-	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	*	-	-
30		-	-	-	*	-	-	-	-	-	*	-	-
31		*	*	*	*	-	*	-	*	*	*	-	-
32		*	*	*	*	*	*	*	*	0.2	0.1	-	-
33		*	0.1	0.1	0.3	*	*	0.4	0.3	2.2	0.8	-	0.5
34		2.0	1.5	2.3	2.7	0.1	0.3	2.4	2.4	7.0	5.3	0.9	1.1
35		21.7	15.6	12.0	10.0	2.0	2.6	8.0	7.9	22.0	18.0	4.9	3.9
36		46.1	38.7	17.6	17.7	11.2	11.1	18.0	15.1	23.5	26.3	7.8	8.9
37		27.7	38.2	31.4	27.1	44.4	41.4	31.1	29.2	27.7	27.8	23.2	29.3
38 & longer		2.4	5.9	36.5	42.1	42.3	44.6	40.1	45.1	17.3	21.7	63.1	56.4
Average staple		36.1	36.3	37.0	37.2	37.5	37.5	37.2	37.3	36.2	36.5	38.0	37.9

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 13, 2018**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	1-2	1.2	1.2	0.1	0.2	0.1	0.9	4.6	9.1	0.1	0.1	
	3	0.7	2.0	0.6	0.4	0.1	0.7	5.3	6.6	*	0.2	
	4	0.1	0.2	0.2	*	-	*	0.7	0.6	*	*	
	5	*	*	-	*	-	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	-----	2.0	3.3	0.8	0.6	0.3	1.6	10.6	16.3	0.1	0.3
31	1-2	8.4	5.9	1.3	1.3	1.2	1.7	10.0	7.2	3.3	4.1	
	3	24.3	24.6	7.7	11.7	3.6	5.7	27.7	19.2	22.3	24.7	
	4	7.6	7.3	5.9	8.9	0.8	1.6	12.0	8.0	6.0	5.1	
	5	0.2	0.4	0.5	0.7	0.1	0.1	2.1	1.1	0.1	0.1	
	6	-	*	*	*	-	*	0.2	0.1	-	*	
	7	-	-	-	-	-	-	*	*	-	-	
	Total	-----	40.6	38.3	15.3	22.7	5.6	9.1	52.0	35.7	31.7	34.0
	41	1-2	2.6	2.4	1.4	1.8	5.8	3.7	1.2	1.6	2.4	2.9
3		23.6	21.8	20.4	18.1	26.1	21.7	7.5	9.2	40.5	34.1	
4		18.7	18.1	27.7	27.3	18.6	15.2	8.1	9.4	18.4	12.6	
5		5.7	4.3	6.9	7.6	3.2	2.3	4.6	3.9	0.8	0.5	
6		0.6	0.5	0.4	0.4	0.1	0.1	1.7	0.9	*	*	
7		*	*	-	*	-	-	0.4	0.2	-	-	
Total		-----	51.1	47.2	56.8	55.3	53.8	42.9	23.5	25.1	62.0	50.1
51		1-2	*	*	0.5	0.3	0.2	0.1	0.4	0.2	*	*
	3	0.1	0.2	3.7	1.8	7.2	2.2	1.4	0.9	0.4	0.4	
	4	0.1	0.4	7.3	2.5	13.0	3.7	0.5	0.7	0.5	0.3	
	5	0.2	0.6	4.2	1.7	4.1	1.5	0.2	0.3	0.1	*	
	6	0.1	0.2	0.5	0.2	0.2	0.1	0.1	0.2	-	*	
	7	*	*	*	*	*	*	0.1	0.1	-	-	
	Total	-----	0.6	1.5	16.3	6.6	24.7	7.6	2.7	2.3	0.9	0.7
	61	1-2	-	-	*	*	-	-	*	*	-	-
3		-	-	0.1	*	-	-	0.2	*	-	-	
4		-	-	0.1	*	*	*	0.1	*	-	*	
5		-	-	*	*	*	*	*	*	-	-	
6		-	-	-	-	-	-	*	*	-	-	
7		-	-	-	-	-	-	*	*	-	-	
Total		-----	-	-	0.2	*	*	*	0.4	0.1	-	*
71		1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	
	4	-	-	-	-	-	-	*	*	-	-	
	5	-	-	-	-	-	-	*	*	-	-	
	6	-	-	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	-	-	-	-	*	*	-	-
	12 & 22	1-2	-	0.1	*	*	*	0.1	0.3	1.9	-	-
3		*	0.3	*	0.1	-	0.1	0.6	2.0	*	*	
4		-	*	*	*	-	*	0.2	0.4	-	*	
5		-	-	*	*	-	*	*	*	-	*	
6		-	-	-	-	-	-	*	*	-	-	
7		-	-	-	-	-	-	-	-	-	-	
Total		-----	*	0.4	*	0.1	*	0.1	1.1	4.4	*	*
32		1-2	*	0.2	0.2	0.3	0.1	0.6	0.4	0.6	0.1	0.2
	3	0.2	1.3	1.0	1.3	0.6	1.8	1.7	2.4	1.1	1.4	
	4	0.2	0.9	0.3	0.7	0.1	0.7	1.1	1.7	0.4	0.4	
	5	0.1	0.2	*	0.1	*	*	0.3	0.4	-	*	
	6	*	*	-	*	-	*	*	*	-	*	
	7	-	-	-	-	-	-	*	*	-	-	
	Total	-----	0.5	2.5	1.5	2.3	0.9	3.1	3.6	5.1	1.5	2.1
	42	1-2	0.5	0.2	0.2	0.6	0.5	1.8	0.1	0.3	0.1	0.5
3		1.5	1.5	2.2	3.4	4.8	14.4	0.6	1.8	1.9	6.9	
4		1.2	1.5	2.0	3.3	3.6	10.7	0.6	1.8	1.3	3.5	
5		0.4	0.6	0.6	0.9	1.0	1.7	0.4	0.7	0.1	0.2	
6		*	0.2	*	0.1	0.1	0.1	0.2	0.1	-	*	
7		-	*	-	*	-	-	0.1	*	-	-	
Total		-----	3.5	3.9	5.0	8.3	9.9	28.6	1.9	4.8	3.3	11.2
52		1-2	*	*	-	0.1	*	*	0.1	0.1	-	0.1
	3	0.1	0.1	0.6	0.9	0.3	0.8	0.4	0.7	*	0.7	
	4	0.2	0.2	1.0	0.9	1.4	2.2	0.4	1.0	*	0.3	
	5	0.1	0.2	0.5	0.4	0.7	1.0	0.1	0.4	*	*	
	6	*	0.1	0.1	0.1	*	0.1	*	0.1	-	*	
	7	-	*	-	*	-	*	*	*	-	-	
	Total	-----	0.4	0.6	2.2	2.4	2.5	4.2	0.9	2.3	0.1	1.1

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 13, 2018**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	-	-
	3	*	*	*	*	*	*	*	*	-	-
	4	-	*	*	*	-	*	0.2	0.1	-	-
	5	-	-	*	*	*	*	0.5	0.2	-	-
	6	-	-	*	*	*	*	0.3	0.1	-	-
	7	-	-	*	*	*	*	*	*	-	-
	Total	-----	*	*	0.1	*	*	*	1.0	0.5	-
13 & 23	1-2	-	*	-	*	-	*	*	0.2	-	*
	3	-	*	-	*	-	*	0.1	0.2	-	*
	4	-	*	*	*	-	-	*	0.1	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	0.1	*	*	-	*	0.2	0.5	-
33	1-2	*	*	*	*	*	*	*	*	*	*
	3	*	0.3	0.1	0.1	0.1	0.1	0.2	0.2	0.1	*
	4	*	0.2	0.1	0.1	*	*	0.3	0.2	*	*
	5	*	0.1	*	*	-	*	0.1	0.1	-	*
	6	-	*	-	*	-	*	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	Total	-----	0.1	0.6	0.2	0.2	0.1	0.1	0.6	0.6	0.1
43	1-2	*	*	*	*	0.1	0.1	*	*	-	*
	3	0.2	0.2	0.4	0.3	0.9	1.0	0.1	0.2	0.1	0.2
	4	0.1	0.2	0.5	0.5	0.5	0.8	0.2	0.3	0.1	0.2
	5	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	*	*
	6	*	0.1	*	*	*	*	*	*	*	*
	7	-	*	-	*	-	-	*	*	-	-
	Total	-----	0.5	0.7	1.1	1.0	1.6	2.1	0.4	0.7	0.2
53	1-2	*	*	*	*	*	*	*	*	*	*
	3	0.3	0.1	0.1	*	0.1	0.1	0.1	0.2	-	*
	4	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.3	-	*
	5	*	*	0.1	0.1	0.1	0.1	0.1	0.2	*	*
	6	-	*	*	*	-	*	*	0.1	-	-
	7	*	*	-	-	-	*	*	*	-	-
	Total	-----	0.6	0.3	0.3	0.3	0.3	0.5	0.3	0.8	*
63	1-2	-	-	-	-	-	*	*	*	-	*
	3	*	*	-	-	-	*	*	0.1	-	-
	4	*	*	*	*	-	*	0.2	0.2	-	-
	5	-	*	*	*	-	*	0.1	0.2	-	-
	6	-	-	-	-	-	*	*	0.1	-	-
	7	-	-	-	-	-	-	*	*	-	-
	Total	-----	*	*	*	*	-	*	0.3	0.5	-
24 - 54	1-7	0.1	0.5	0.1	*	0.3	0.1	0.2	0.2	*	*
25 - 35	1-7	-	*	-	-	-	-	*	*	-	-
81 - 85 1/	1-7	*	0.1	*	*	*	*	0.1	0.1	*	*
All Colors	8 2/	*	*	*	*	*	*	0.2	0.1	*	*
EXTRANEOUS MATTER											
Bark - Level 1		3.9	4.2	2.7	4.1	0.6	0.3	7.4	6.0	0.2	0.3
Bark - Level 2		-	-	-	-	-	-	-	-	-	-
Grass - Level 1		*	*	*	0.1	0.1	*	*	0.3	-	*
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		-	*	*	*	*	*	*	*	-	-
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	-	-	*	-	-	*	*	-	-
Other - Level 2		-	-	-	-	-	-	-	*	-	-
STAPLE											
28 & shorter		-	-	-	-	-	-	*	*	-	-
29		-	-	-	-	-	-	*	*	-	-
30		*	*	-	-	-	-	0.1	0.1	-	-
31		*	*	*	*	-	*	0.2	0.4	-	-
32		1.2	0.6	0.4	0.1	-	*	0.7	1.2	-	*
33		2.8	2.3	3.5	1.6	0.3	0.1	2.6	3.6	0.9	0.7
34		7.1	6.7	9.6	5.5	3.3	1.4	9.3	9.8	14.5	9.3
35		11.9	11.6	16.1	10.8	19.4	12.5	20.7	19.2	33.7	26.0
36		22.2	21.2	18.6	16.5	36.0	35.0	25.8	25.1	25.9	30.2
37		30.7	30.3	34.0	30.4	30.2	39.0	27.6	24.7	19.0	22.0
38 & longer		24.1	27.2	17.9	35.1	10.8	11.9	13.1	15.9	6.0	11.8
Average staple		36.5	36.6	36.3	36.8	36.3	36.5	36.1	36.1	35.7	36.0

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 13, 2018**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	*	*
21	-	-	-	-	-	-	-	-	-	-	-	*
22	-	-	-	-	-	-	-	-	-	-	*	*
23	-	*	-	*	-	-	-	-	-	*	*	*
24	*	0.1	*	*	-	-	-	-	0.1	0.1	0.1	0.1
25	0.2	0.4	*	*	*	*	-	-	0.2	0.7	0.8	0.8
26	1.2	1.9	0.4	0.5	0.1	0.1	-	-	4.9	3.6	3.9	4.1
27	7.0	7.8	3.1	2.7	1.1	0.6	-	*	9.5	12.0	11.2	11.5
28	19.7	22.3	10.6	9.6	3.1	3.8	*	0.1	25.8	31.7	18.5	20.7
29	31.9	32.7	27.7	26.2	8.6	12.6	0.8	1.1	30.2	33.0	24.7	26.4
30	24.1	21.9	29.3	28.9	19.0	20.1	1.2	2.5	20.4	13.2	22.1	20.4
31	10.7	9.1	18.1	18.5	24.2	24.2	2.8	4.2	7.9	4.8	11.6	10.4
32	3.6	3.0	7.7	9.1	19.3	19.5	7.7	9.5	1.0	0.8	4.6	3.9
33	1.4	0.8	2.4	3.4	12.8	11.7	20.3	18.1	*	0.2	1.8	1.2
34	0.2	0.2	0.7	0.8	6.3	4.6	16.9	14.4	*	*	0.6	0.4
35	*	*	0.1	0.2	2.7	1.9	9.8	9.7	-	*	0.1	0.1
36 & above	*	*	*	*	2.9	0.9	40.4	40.4	-	-	*	*
Average	29.2	29.0	29.8	29.9	31.4	31.1	34.7	34.6	28.7	28.5	29.1	29.0
MIKE												
24 & below	-	-	-	-	-	-	-	-	-	-	-	-
25	-	*	-	-	-	*	*	*	-	-	-	*
26	*	*	-	-	-	*	0.2	*	-	-	*	*
27	-	*	-	*	-	*	*	0.1	-	-	*	*
28	*	*	*	*	*	*	*	0.1	-	-	*	*
29	-	*	*	*	-	*	*	0.1	-	-	*	*
30	*	*	0.1	*	*	*	*	0.2	-	*	*	*
31	0.1	*	0.1	*	*	*	*	0.3	-	-	0.1	0.1
32	0.2	0.1	0.2	*	*	0.1	0.1	0.5	-	-	0.2	0.2
33	0.4	0.2	0.1	*	0.1	0.1	0.1	0.8	-	*	0.5	0.5
34	0.5	0.4	0.1	*	0.1	0.2	*	1.2	-	*	0.8	0.9
35	0.8	0.6	0.1	0.1	0.3	0.4	0.7	1.2	-	0.1	1.2	1.4
36	1.3	1.1	0.3	0.1	0.3	0.6	1.0	1.9	-	0.2	1.4	1.8
37	2.2	2.0	0.4	0.2	0.5	0.8	4.0	2.7	*	0.3	1.8	2.5
38	3.8	3.0	0.5	0.4	0.9	1.2	3.1	2.6	0.4	0.9	2.5	3.9
39	5.2	4.1	1.0	0.8	1.1	1.8	4.2	3.7	2.9	1.4	4.7	6.3
40	6.2	5.9	2.1	1.6	1.5	2.3	2.9	4.1	8.3	3.6	8.2	9.0
41	7.8	7.3	3.2	2.8	2.3	3.9	4.5	6.0	5.9	5.8	12.5	12.0
42	9.2	9.0	4.6	4.8	4.0	4.7	5.9	7.8	4.8	8.7	15.0	14.3
43	11.6	10.7	6.0	6.8	6.0	6.2	9.0	10.0	4.5	12.1	14.9	14.1
44	11.0	11.0	8.5	9.9	7.7	7.3	11.1	11.4	7.0	12.7	13.1	12.0
45	11.0	10.9	12.4	12.5	9.7	8.5	11.7	10.8	17.8	15.6	9.9	8.8
46	10.0	9.8	14.6	13.9	12.2	10.7	13.7	11.1	19.6	14.2	6.1	5.6
47	7.8	8.0	14.1	13.2	12.7	12.4	11.1	8.2	14.6	10.5	3.9	3.4
48	4.5	6.1	11.5	11.5	11.8	11.4	7.6	6.2	9.5	7.2	1.9	1.7
49	2.8	4.2	8.0	8.3	8.7	9.1	2.7	3.3	3.1	4.8	0.7	0.8
50	2.0	2.7	6.1	5.6	6.9	7.8	1.2	2.0	0.2	1.4	0.3	0.3
51	1.2	1.6	3.6	3.4	6.6	5.9	0.7	1.3	0.8	0.4	0.2	0.1
52	0.5	0.9	2.0	2.0	3.9	2.9	1.8	1.4	*	0.1	*	*
53	0.2	0.3	0.4	1.0	1.7	1.2	2.2	0.7	0.2	*	*	*
54	*	0.1	0.2	0.5	0.5	0.3	0.4	0.2	-	-	*	*
55	*	*	*	0.2	0.2	0.1	-	0.1	-	-	*	*
56	*	*	*	0.1	0.2	*	-	-	-	-	-	*
57	*	*	-	*	*	*	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	43	44	46	46	47	46	44	44	45	45	42	42

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 13, 2018**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	*	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-
22	-	*	-	*	-	-	*	*	-	-	-	-
23	*	*	-	*	-	*	*	*	*	*	-	-
24	-	0.1	-	*	-	*	*	*	0.1	*	-	-
25	*	0.7	*	*	0.1	*	0.2	0.1	1.0	0.3	-	-
26	0.2	1.4	0.1	0.3	0.4	0.4	1.1	0.9	2.8	1.7	-	-
27	0.6	4.0	1.3	1.6	2.7	2.5	2.8	2.8	6.8	4.5	2.2	0.5
28	14.7	13.1	4.2	5.7	12.9	11.2	10.3	8.3	13.3	10.6	3.5	4.1
29	27.2	31.7	21.8	17.2	27.4	23.4	24.3	21.4	20.3	19.8	10.3	18.3
30	23.6	26.3	34.1	30.4	26.4	28.8	33.1	31.3	21.2	24.1	22.8	28.9
31	25.3	14.8	23.6	23.0	14.6	18.0	18.8	21.7	15.3	18.4	29.3	27.9
32	7.5	7.0	10.9	13.1	9.1	9.0	6.6	8.9	9.2	11.1	17.6	15.8
33	0.7	0.9	2.9	5.7	4.7	4.6	2.1	3.4	5.3	6.0	11.9	3.7
34	*	0.1	0.8	2.2	1.3	1.6	0.5	1.0	3.1	2.5	2.3	0.6
35	-	*	0.2	0.6	0.4	0.3	0.1	0.2	1.2	0.7	*	*
36 & above	-	*	*	0.2	*	*	*	*	0.4	0.1	0.1	*
Average	29.8	29.5	30.2	30.4	29.9	30.0	29.8	30.0	29.8	30.0	30.8	30.4
MIKE												
24 & below	-	*	-	-	-	-	-	-	-	-	-	-
25	-	0.2	-	*	-	-	-	-	-	-	-	-
26	-	0.5	-	-	-	-	-	-	-	-	-	-
27	-	0.7	-	-	-	*	-	-	-	*	0.1	*
28	*	1.0	-	-	-	-	-	-	*	*	0.7	0.2
29	0.1	0.8	-	-	-	-	-	*	*	*	0.2	0.1
30	1.2	1.3	-	*	-	*	-	*	*	*	0.3	0.4
31	2.2	2.5	*	*	-	*	-	*	*	*	0.7	0.3
32	5.6	3.5	*	*	-	*	-	*	*	*	-	0.3
33	3.0	5.9	*	*	-	*	*	*	0.1	0.1	0.3	0.6
34	5.3	7.2	*	*	*	*	*	*	0.1	0.1	2.5	1.6
35	6.1	6.7	-	*	*	*	0.1	*	0.4	0.2	2.6	2.7
36	10.0	7.4	*	*	*	0.1	0.1	0.1	0.7	0.3	5.8	5.0
37	8.8	10.4	*	0.1	0.1	0.2	0.3	0.2	0.9	0.5	6.6	3.7
38	10.0	9.7	*	0.1	0.1	0.4	0.7	0.4	1.4	0.8	6.9	7.2
39	17.0	9.5	*	0.3	0.4	0.7	0.8	0.7	1.8	1.3	6.5	8.0
40	9.5	8.0	*	0.5	0.8	1.1	1.2	1.1	2.8	2.1	5.3	9.3
41	8.4	8.0	0.5	1.1	2.1	2.1	1.6	1.9	3.2	3.2	4.7	6.1
42	5.1	4.7	1.4	1.9	3.5	3.9	2.8	3.0	5.1	4.8	9.1	9.8
43	3.3	4.9	2.3	2.8	5.5	6.0	4.1	4.4	7.6	7.0	7.8	8.9
44	1.8	4.2	3.1	3.6	8.2	8.3	6.1	6.5	10.4	9.7	6.1	7.6
45	2.3	2.0	6.5	6.2	10.8	10.7	8.3	9.2	12.9	13.1	5.6	6.6
46	0.4	0.9	6.4	9.4	12.6	11.6	12.5	13.3	14.9	15.1	8.3	6.3
47	*	0.1	11.0	13.6	13.5	12.4	16.4	16.2	13.4	14.3	11.5	6.4
48	*	*	14.1	16.4	12.8	11.3	15.8	16.4	9.4	11.1	3.1	4.5
49	-	*	16.0	15.8	10.3	10.0	13.1	13.1	6.6	7.3	2.2	1.9
50	-	*	18.4	12.9	7.7	7.6	9.3	7.3	4.2	4.6	1.4	1.1
51	-	*	11.5	8.1	6.2	5.8	4.6	3.4	2.2	2.5	0.5	1.1
52	-	-	5.8	4.5	3.2	4.0	1.4	1.6	1.4	1.3	1.0	0.2
53	-	-	2.2	1.9	1.4	2.4	0.6	0.8	0.3	0.5	-	-
54	-	-	0.6	0.5	0.7	1.0	0.2	0.3	0.1	0.1	-	-
55	-	-	0.1	0.1	0.1	0.3	0.1	*	*	*	-	-
56	-	-	*	*	-	*	*	*	-	*	-	-
57	-	-	-	*	-	*	-	*	-	*	-	-
58	-	-	-	-	-	*	-	-	-	*	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	38	38	48	48	47	47	47	47	45	46	42	42

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 13, 2018**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	*	-	-
19	-	*	-	-	-	-	-	*	-	-
20	-	-	-	-	-	-	*	*	-	-
21	-	*	-	-	-	-	*	*	-	-
22	*	*	-	-	-	-	*	0.1	-	-
23	-	*	0.1	*	*	*	0.1	0.2	-	*
24	*	*	0.6	0.2	*	*	0.3	0.5	*	0.1
25	0.1	0.1	2.9	1.2	0.3	0.1	0.6	0.9	0.8	0.8
26	0.2	0.3	7.8	4.4	2.6	0.9	1.3	1.9	3.5	4.0
27	1.3	1.7	14.2	9.2	10.6	5.9	3.3	3.9	8.5	7.6
28	5.2	6.1	20.9	16.2	25.3	18.4	7.4	8.5	21.6	18.4
29	13.3	14.3	21.5	24.7	28.3	29.2	13.9	15.7	23.4	27.2
30	25.6	23.5	15.7	24.0	17.4	22.9	19.0	19.8	18.6	21.3
31	23.8	22.2	9.0	12.5	8.5	12.9	20.6	19.8	12.4	11.9
32	14.6	14.6	4.9	4.8	4.4	6.4	17.8	15.0	6.4	5.7
33	11.7	10.7	1.5	1.9	2.0	2.4	10.1	8.5	3.0	2.1
34	3.4	4.7	0.6	0.7	0.5	0.7	3.8	3.7	1.4	0.8
35	0.6	1.3	0.2	0.1	0.2	0.2	1.2	1.3	0.3	0.2
36 & above	0.2	0.3	*	*	*	*	0.5	0.5	0.1	*
Average	30.7	30.7	28.6	29.2	29.0	29.4	30.6	30.3	29.3	29.2
MIKE 24 & below	-	*	-	-	-	-	0.1	*	-	-
25	-	*	-	-	-	-	0.3	0.1	-	-
26	*	*	-	*	-	-	0.4	0.1	-	-
27	*	*	-	-	-	-	0.4	0.1	-	-
28	0.2	0.1	-	-	-	-	0.5	0.1	-	-
29	0.1	0.1	-	*	-	-	0.7	0.2	-	-
30	0.1	0.1	-	-	-	*	0.9	0.3	-	-
31	0.1	0.1	-	*	0.1	*	1.3	0.5	-	-
32	0.2	0.2	-	*	0.1	*	1.7	0.7	-	-
33	0.3	0.3	*	*	0.1	*	2.3	1.0	-	*
34	0.4	0.4	*	0.1	0.1	*	2.7	1.4	-	-
35	0.8	0.6	*	0.2	0.4	0.1	3.5	1.8	*	*
36	1.4	0.8	0.1	0.4	0.4	0.1	4.2	2.2	-	*
37	2.7	1.5	0.5	0.8	0.6	0.2	5.0	2.8	*	0.1
38	3.3	2.5	1.0	1.6	0.5	0.3	5.4	3.4	*	*
39	5.1	3.7	1.7	3.0	0.7	0.5	6.3	4.1	0.1	0.1
40	6.4	5.7	3.2	5.6	1.3	1.0	6.8	4.8	0.3	0.2
41	6.5	7.7	7.6	9.5	1.8	1.7	7.2	5.5	0.6	0.5
42	7.3	8.6	9.8	12.7	2.8	2.5	7.2	6.2	1.8	1.6
43	8.9	9.3	13.5	14.8	4.0	3.7	7.3	7.0	4.1	3.4
44	10.2	10.7	17.6	15.2	6.5	5.5	7.0	7.6	6.8	7.2
45	11.0	11.6	13.7	12.3	9.7	7.9	6.5	8.2	14.7	14.2
46	9.3	9.9	11.2	9.4	10.4	10.0	6.1	8.4	20.6	20.6
47	8.6	8.2	8.7	6.6	10.7	11.5	5.1	8.0	20.3	20.5
48	6.3	6.7	5.6	4.2	13.1	12.9	4.1	7.1	15.2	15.5
49	4.4	4.8	2.9	1.9	14.1	12.2	3.1	5.8	10.0	8.8
50	3.1	3.0	1.8	1.1	9.9	11.0	1.9	4.3	3.3	4.3
51	2.2	1.8	0.8	0.4	5.0	8.4	1.1	3.2	1.2	1.9
52	0.7	1.0	0.2	0.1	3.9	5.5	0.6	2.2	0.6	0.7
53	0.2	0.3	*	*	2.5	3.1	0.2	1.4	0.3	0.2
54	0.2	0.1	-	*	1.0	1.5	0.1	0.9	0.1	*
55	0.1	0.1	-	*	0.2	0.3	*	0.4	-	*
56	-	*	-	*	*	*	*	0.1	-	*
57	-	-	-	*	-	*	*	*	-	*
58	-	-	-	*	-	*	*	*	-	*
59	-	-	-	*	-	-	-	*	-	-
60 & above	-	-	-	-	-	-	-	*	-	-
Average	44	44	44	44	47	48	41	44	47	47

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 13, 2018**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	-	-	-	-	-	-	-	-	-
25 - 26	*	*	-	-	-	*	0.2	*	-	-	*	*
27 - 29	*	*	*	*	*	0.1	0.1	0.3	-	-	*	*
30 - 32	0.3	0.1	0.4	0.1	0.1	0.2	0.1	1.0	-	*	0.4	0.4
33 - 34	0.9	0.7	0.2	0.1	0.2	0.3	0.1	1.9	-	*	1.3	1.4
35 - 36	2.1	1.7	0.4	0.2	0.6	0.9	1.7	3.1	-	0.3	2.6	3.2
37 - 42	34.3	31.3	11.8	10.7	10.4	14.7	24.6	26.9	22.4	20.6	44.7	48.1
43 - 49	58.6	60.6	75.1	76.1	68.8	65.5	66.9	61.0	76.2	77.2	50.5	46.5
50 - 52	3.6	5.2	11.6	11.1	17.4	16.7	3.7	4.7	1.1	1.9	0.5	0.5
53 & above	0.2	0.5	0.6	1.8	2.6	1.6	2.5	1.0	0.2	*	*	*
Average	43	44	46	46	47	46	44	44	45	45	42	42
HVI TRASH 1/												
00	-	-	-	-	-	*	*	*	-	-	-	-
01	0.3	0.2	0.1	0.1	8.9	10.4	39.4	31.7	-	*	0.3	0.6
02	5.2	5.1	3.5	2.3	29.2	28.8	41.5	43.3	1.2	1.4	6.4	8.9
03	15.0	17.8	13.8	10.9	27.5	26.6	14.5	18.5	10.8	10.6	20.1	22.7
04	19.6	24.6	22.7	20.1	16.7	16.5	3.8	4.8	25.8	25.3	26.2	26.0
05	19.1	20.9	22.9	22.4	8.6	9.0	0.7	1.2	28.9	27.4	21.3	19.9
06	15.5	13.9	17.0	18.5	4.3	4.4	0.1	0.4	17.6	18.7	13.2	11.8
07	10.6	8.4	10.5	12.3	2.3	2.1	*	0.1	9.5	9.6	6.8	5.9
08	6.5	4.6	5.2	7.0	1.1	1.0	-	*	3.8	4.3	3.3	2.6
09	3.9	2.4	2.6	3.6	0.6	0.5	-	*	1.5	1.8	1.4	1.0
10	2.0	1.2	1.1	1.6	0.3	0.3	-	*	0.6	0.6	0.6	0.4
11	1.2	0.6	0.4	0.7	0.2	0.2	-	*	0.2	0.2	0.2	0.2
12	0.6	0.2	0.1	0.3	0.1	0.1	-	-	*	0.1	0.1	0.1
13	0.3	0.1	0.1	0.1	*	0.1	-	-	*	*	*	*
14	0.1	*	*	*	*	*	-	-	*	*	*	*
15	*	*	*	*	*	*	-	-	-	-	*	*
16	*	*	*	*	*	*	-	-	-	-	*	*
17	*	*	-	*	-	*	-	-	-	-	*	*
18 & above	*	*	-	*	-	*	-	-	-	*	*	*
Average	0.53	0.49	0.51	0.54	0.32	0.32	0.19	0.20	0.51	0.51	0.46	0.44
UNIFORMITY 2/												
72.4 & below	-	-	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	-	-	-	-	-	-	-
74.5-75.4	-	-	-	-	*	*	-	*	-	-	-	-
75.5-76.4	*	*	*	*	*	*	*	*	-	-	*	*
76.5-77.4	0.1	0.1	*	*	*	*	-	*	0.1	0.1	0.1	0.1
77.5-78.4	0.8	0.8	0.4	0.2	0.4	0.3	*	0.3	0.3	0.4	0.6	0.7
78.5-79.4	4.7	4.3	2.1	1.1	3.3	2.5	0.8	1.4	1.9	3.0	4.2	4.3
79.5-80.4	21.0	19.8	11.6	7.2	15.4	12.9	1.6	3.4	30.6	35.9	17.3	19.6
80.5-81.4	42.5	41.7	34.2	26.2	26.8	33.3	14.1	13.5	56.8	51.4	38.5	40.1
81.5-82.4	24.2	26.4	34.2	37.8	36.2	36.2	34.3	28.1	9.7	8.3	28.5	26.6
82.5-83.4	5.6	6.0	14.5	23.1	14.5	12.7	7.4	19.9	0.5	0.8	9.1	7.4
83.5-84.4	1.0	0.8	2.8	4.3	2.7	1.8	18.8	20.7	*	0.1	1.6	1.1
84.5-85.4	0.1	0.1	0.1	0.2	0.5	0.2	22.5	12.0	*	*	0.2	0.1
85.5-86.4	*	*	*	*	0.1	*	0.4	0.6	-	-	*	*
86.5-87.4	*	*	-	-	-	*	0.1	0.1	-	-	*	*
87.5-88.4	*	*	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	*	-	*	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	81.0	81.0	81.5	81.8	81.5	81.4	82.9	82.7	80.7	80.6	81.2	81.1
Tenderable 3/	66.9	64.1	76.0	71.1	71.1	73.9	92.9	90.5	56.0	63.1	69.2	80.9
SAMPLES CLASSED												
WEEK	57,011		60,803		33,012		14,714		6,092		137,933	
SEASON		568,279		1,084,595		135,365		106,025		51,361		1,251,409

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 13, 2018**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	*	-	-	-	-	-	-	-	-	-	-
25 - 26	-	0.7	-	*	-	-	-	-	-	-	-	-
27 - 29	0.1	2.4	-	-	-	*	-	*	*	*	1.0	0.4
30 - 32	8.9	7.3	*	*	-	*	-	*	0.1	*	1.0	0.9
33 - 34	8.3	13.1	*	*	*	*	*	*	0.2	0.2	2.8	2.2
35 - 36	16.1	14.0	*	*	*	0.1	0.1	0.1	1.1	0.5	8.4	7.7
37 - 42	58.9	50.2	1.9	4.0	6.9	8.4	7.4	7.4	15.2	12.7	39.2	44.2
43 - 49	7.7	12.2	59.3	68.0	73.7	70.3	76.3	79.0	75.3	77.6	44.7	42.2
50 - 52	-	*	35.8	25.5	17.1	17.4	15.3	12.3	7.8	8.4	2.9	2.4
53 & above	-	-	3.0	2.5	2.3	3.8	0.9	1.1	0.3	0.7	-	-
Average	38	38	48	48	47	47	47	47	45	46	42	42
HVI TRASH 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	0.4	1.1	0.5	0.6	0.1	0.1	0.4	0.2	0.1	0.2	8.3	6.1
02	9.3	9.8	9.8	9.3	2.8	3.1	6.8	5.6	4.0	5.9	36.1	30.6
03	17.5	18.9	25.8	22.2	13.9	12.2	16.7	16.4	18.3	20.4	27.7	29.8
04	14.1	19.3	26.5	24.8	22.8	20.6	22.3	22.5	27.2	26.7	14.7	16.6
05	13.6	15.7	18.1	19.5	23.9	22.9	21.4	21.4	21.9	21.1	7.1	8.5
06	14.4	12.9	10.3	12.0	17.5	18.7	15.3	15.8	13.7	13.1	3.6	4.6
07	12.5	9.0	5.3	6.4	10.3	11.8	9.0	9.5	7.5	6.8	1.7	2.2
08	8.5	5.9	2.4	3.0	5.1	6.0	4.6	4.9	4.1	3.3	0.7	1.0
09	5.1	3.5	0.8	1.3	2.3	2.7	2.2	2.2	1.9	1.5	0.2	0.5
10	2.4	1.9	0.3	0.5	0.9	1.1	0.9	0.9	0.9	0.6	0.1	0.2
11	1.5	1.0	0.1	0.2	0.3	0.4	0.4	0.4	0.4	0.2	*	0.1
12	0.5	0.5	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-	*
13	0.3	0.2	*	*	*	*	0.1	0.1	*	*	-	-
14	*	0.1	*	*	*	*	*	*	*	*	-	-
15	*	*	*	*	*	*	*	*	*	*	-	-
16	-	*	-	-	*	*	*	*	*	*	-	-
17	-	*	-	-	-	*	*	*	*	*	-	-
18 & above	-	*	-	-	-	*	*	*	*	*	-	-
Average	0.53	0.49	0.42	0.44	0.51	0.53	0.49	0.49	0.48	0.46	0.30	0.32
UNIFORMITY 2/												
72.4 & below	-	*	-	*	-	-	-	*	-	-	-	-
72.5-73.4	-	-	-	*	-	-	-	*	-	-	-	-
73.5-74.4	-	*	-	*	-	-	-	*	*	*	-	-
74.5-75.4	-	*	*	*	-	-	*	*	*	*	-	-
75.5-76.4	0.1	0.1	*	0.1	-	*	*	*	0.1	*	-	-
76.5-77.4	0.2	0.3	0.2	0.3	*	*	0.1	0.1	0.5	0.3	-	*
77.5-78.4	0.4	1.5	0.9	1.4	0.1	*	2.1	0.9	2.9	1.5	*	0.1
78.5-79.4	3.2	6.9	6.7	6.9	0.3	0.3	7.1	4.2	10.8	7.7	0.1	0.8
79.5-80.4	40.6	37.4	27.2	20.4	4.4	2.2	23.9	18.0	26.5	25.0	3.4	3.6
80.5-81.4	49.9	42.2	45.0	36.7	21.1	13.7	36.8	38.5	32.3	36.2	16.1	13.7
81.5-82.4	5.3	9.3	17.5	24.9	42.2	36.6	23.3	29.4	20.5	23.1	34.3	34.9
82.5-83.4	0.2	2.1	2.0	7.5	24.8	36.6	5.8	7.9	5.4	5.4	39.0	43.0
83.5-84.4	*	*	0.4	1.5	6.3	9.9	0.8	0.9	0.9	0.7	6.6	3.8
84.5-85.4	-	-	*	0.2	0.8	0.6	0.1	0.1	0.1	0.1	0.4	0.1
85.5-86.4	*	*	*	*	0.1	*	*	*	*	*	0.1	*
86.5-87.4	-	-	*	*	-	*	-	-	-	*	-	-
87.5-88.4	-	-	-	*	-	-	-	-	-	-	-	-
88.5-89.4	*	*	-	-	-	-	-	-	-	-	-	-
89.5 & above	*	*	-	-	-	-	-	-	-	-	-	-
Average	80.5	80.5	80.7	81.0	82.0	82.3	80.9	81.1	80.7	80.9	82.3	82.2
Tenderable 3/	45.1	52.5	45.3	57.3	74.5	68.5	72.9	76.8	82.9	76.0	91.6	92.7
SAMPLES CLASSED												
WEEK	6,493		17,310		50,298		87,986		52,242		3,068	
SEASON		30,206		380,024		683,864		1,165,221		615,089		15,045

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 13, 2018**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	*	-	-	-	-	0.1	*	-	-
25 - 26	*	*	-	*	-	-	0.7	0.1	-	-
27 - 29	0.3	0.2	-	*	-	-	1.6	0.5	-	-
30 - 32	0.3	0.3	-	*	0.1	*	3.9	1.5	-	-
33 - 34	0.7	0.7	*	0.1	0.2	*	5.0	2.4	-	*
35 - 36	2.2	1.4	0.2	0.6	0.8	0.2	7.8	4.0	*	*
37 - 42	31.3	29.6	23.8	33.3	7.7	6.3	38.0	26.7	2.8	2.6
43 - 49	58.8	61.4	73.1	64.4	68.5	63.8	39.0	52.1	91.7	90.2
50 - 52	6.0	5.8	2.9	1.7	18.9	24.8	3.6	9.7	5.1	6.8
53 & above	0.5	0.6	*	0.1	3.8	4.9	0.4	3.0	0.4	0.3
Average	44	44	44	44	47	48	41	44	47	47
HVI TRASH 1/										
00	-	-	-	-	-	-	-	*	-	-
01	1.7	0.8	0.2	0.3	1.0	0.7	2.5	4.5	0.2	0.4
02	14.3	11.0	5.1	5.8	9.4	10.0	19.1	19.3	8.1	11.0
03	25.8	24.2	16.7	16.4	21.5	22.1	25.5	23.5	30.7	33.1
04	24.2	24.8	23.8	23.7	22.9	24.7	19.8	19.4	33.2	31.7
05	16.1	17.7	22.7	22.4	18.7	19.2	12.9	13.4	18.4	16.0
06	9.0	10.3	15.8	15.5	13.0	11.9	8.0	8.4	6.7	5.5
07	4.8	5.4	8.8	8.7	7.5	6.3	4.7	5.0	1.9	1.6
08	2.3	2.8	4.1	4.2	3.7	3.0	2.8	2.8	0.7	0.5
09	1.0	1.4	1.8	1.8	1.5	1.3	1.7	1.6	0.1	0.1
10	0.5	0.7	0.7	0.8	0.6	0.5	1.1	0.9	*	*
11	0.2	0.4	0.2	0.3	0.2	0.2	0.7	0.5	*	*
12	0.1	0.2	0.1	0.1	0.1	0.1	0.4	0.3	-	*
13	*	0.1	0.1	*	*	*	0.3	0.2	-	*
14	*	0.1	*	*	*	*	0.2	0.1	-	*
15	*	*	*	*	*	*	0.1	0.1	-	*
16	*	*	*	*	-	*	0.1	*	-	*
17	*	*	*	*	-	*	*	*	-	-
18 & above	*	*	-	*	-	*	0.1	*	-	-
Average	0.41	0.44	0.49	0.48	0.45	0.44	0.41	0.40	0.39	0.38
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	*	*	-	-
72.5-73.4	-	*	-	-	-	-	*	*	-	-
73.5-74.4	*	*	*	*	-	-	*	*	*	*
74.5-75.4	*	*	*	*	-	-	0.1	0.1	*	*
75.5-76.4	0.1	*	0.1	0.1	*	*	0.3	0.3	0.1	*
76.5-77.4	0.5	0.3	0.9	0.4	0.1	*	1.1	1.0	0.3	0.2
77.5-78.4	1.9	1.2	4.6	2.3	0.4	0.2	3.4	2.8	1.8	1.2
78.5-79.4	8.0	5.8	18.9	11.6	4.6	1.9	10.8	7.6	13.1	8.6
79.5-80.4	24.2	21.2	37.6	33.1	23.1	11.7	25.1	19.4	37.6	32.2
80.5-81.4	36.9	36.4	26.8	35.6	35.3	29.5	31.8	30.2	32.2	37.9
81.5-82.4	23.4	26.6	9.1	13.9	23.7	35.7	20.3	25.3	12.4	16.4
82.5-83.4	4.6	7.1	1.7	2.7	10.6	18.0	6.1	11.0	2.4	3.2
83.5-84.4	0.3	1.1	0.3	0.3	2.0	2.8	0.9	2.0	0.2	0.3
84.5-85.4	*	0.1	*	*	0.1	0.2	0.1	0.2	*	*
85.5-86.4	*	*	-	*	*	*	*	*	-	-
86.5-87.4	*	*	-	-	-	-	*	*	-	-
87.5-88.4	*	*	-	-	-	-	*	*	-	-
88.5-89.4	*	*	-	-	-	-	*	*	-	-
89.5 & above	*	*	-	-	-	-	*	*	-	-
Average	80.8	81.0	80.1	80.5	81.1	81.6	80.7	81.0	80.4	80.6
Tenderable 3/	84.5	82.4	83.6	80.9	65.4	46.2	72.1	66.7	91.1	80.9
SAMPLES CLASSED										
WEEK	32,957		29,099		42,719		472,148		15,156	
SEASON		183,926		255,694		721,703		4,025,531		149,839

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

MP_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending DECEMBER 13, 2018

Quality Designation	Leaf	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	1.4	4.1	15.6	21.0	-	-	-	-
	2	0.8	19.1	22.9	22.4	-	-	-	-
	3	-	2.0	0.6	0.4	-	-	-	-
	4	-	*	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		2.2	25.2	39.1	43.8	-	-	-	-
02	1	10.4	8.0	4.2	6.0	-	-	-	-
	2	20.9	19.0	40.6	38.7	-	-	-	-
	3	3.3	2.0	11.4	8.2	-	-	-	-
	4	0.1	*	0.3	0.1	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		34.7	29.0	56.5	53.0	-	-	-	-
03	1	0.9	2.1	*	*	-	-	-	-
	2	19.3	24.9	1.5	1.3	-	-	-	-
	3	16.1	8.3	2.2	1.5	-	-	-	-
	4	0.3	0.3	0.5	0.2	-	-	-	-
	5	-	-	0.1	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		36.6	35.7	4.3	3.1	-	-	-	-
04	1	0.1	*	*	*	-	-	-	-
	2	13.6	4.4	*	*	-	-	-	-
	3	10.9	4.4	0.1	*	-	-	-	-
	4	0.6	0.3	*	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	*	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		25.2	9.1	0.1	0.1	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	0.5	0.2	-	*	-	-	-	-
	3	0.7	0.7	-	*	-	-	-	-
	4	0.2	0.1	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		1.4	1.0	-	*	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	*	-	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE									
40 & shorter		-	-	-	-	-	-	-	-
42		-	-	-	-	-	-	-	-
44		-	0.1	0.2	0.2	-	-	-	-
46		-	25.4	3.3	4.4	-	-	-	-
48 & longer		100.0	74.5	96.5	95.4	-	-	-	-
Average		49.9	48.5	49.5	49.2	-	-	-	-
UNIFORMITY									
72 & below		-	-	-	-	-	-	-	-
73		-	-	-	-	-	-	-	-
74		-	-	-	-	-	-	-	-
75		-	-	-	-	-	-	-	-
76		-	-	-	-	-	-	-	-
77		-	-	-	-	-	-	-	-
78		-	-	-	-	-	-	-	-
79		-	-	-	-	-	-	-	-
80		-	-	-	*	-	-	-	-
81		-	-	*	*	-	-	-	-
82		-	*	0.1	*	-	-	-	-
83		-	*	1.0	0.2	-	-	-	-
84		0.1	0.1	3.5	1.8	-	-	-	-
85		-	15.2	10.1	12.1	-	-	-	-
86		23.4	45.2	40.8	39.8	-	-	-	-
87		71.7	36.6	39.5	40.7	-	-	-	-
88		4.7	2.8	4.6	5.0	-	-	-	-
89		0.1	*	0.3	0.3	-	-	-	-
90 & above		-	-	-	*	-	-	-	-
Average		86.8	86.2	86.2	86.3	-	-	-	-
SAMPLES CLASSED									
WEEK		877		37,272		-	-	-	-
SEASON			12,333		352,909	-	-	-	-

* Less than 0.05 percent.

MP_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending DECEMBER 13, 2018

Quality Designation	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
24 & below	-	-	-	*	-	-	-	-
25 - 26	-	-	-	*	-	-	-	-
27 - 29	-	-	0.2	0.1	-	-	-	-
30 - 32	-	0.1	1.6	0.5	-	-	-	-
33 - 34	0.1	0.3	2.3	1.0	-	-	-	-
35 - 36	2.9	1.4	4.5	3.7	-	-	-	-
37 - 42	87.0	78.7	52.8	52.1	-	-	-	-
43 - 49	10.0	19.5	38.4	42.6	-	-	-	-
50 - 52	-	-	*	*	-	-	-	-
53 & above	-	-	*	*	-	-	-	-
Average	40	41	41	42	-	-	-	-
ALL RANGE MIKE								
24 & below	-	-	-	*	-	-	-	-
25	-	-	-	*	-	-	-	-
26	-	-	*	*	-	-	-	-
27	-	-	*	*	-	-	-	-
28	-	-	0.1	*	-	-	-	-
29	-	-	0.1	0.1	-	-	-	-
30	-	-	0.2	0.1	-	-	-	-
31	-	-	0.4	0.1	-	-	-	-
32	-	0.1	1.0	0.2	-	-	-	-
33	0.1	0.1	1.0	0.4	-	-	-	-
34	-	0.3	1.3	0.7	-	-	-	-
35	0.2	0.1	2.2	1.4	-	-	-	-
36	2.6	1.3	2.4	2.3	-	-	-	-
37	8.7	3.6	3.2	3.4	-	-	-	-
38	12.0	9.4	5.2	5.5	-	-	-	-
39	19.7	17.6	7.7	7.7	-	-	-	-
40	4.8	19.8	11.0	10.2	-	-	-	-
41	15.5	15.4	13.6	11.4	-	-	-	-
42	26.3	13.0	12.1	13.9	-	-	-	-
43	6.5	11.4	12.8	15.6	-	-	-	-
44	1.8	4.4	12.0	13.8	-	-	-	-
45	1.7	2.8	7.1	8.3	-	-	-	-
46	-	0.7	4.3	3.6	-	-	-	-
47	-	0.1	1.6	1.0	-	-	-	-
48	-	*	0.5	0.2	-	-	-	-
49	-	*	0.1	*	-	-	-	-
50	-	-	*	*	-	-	-	-
51	-	-	*	*	-	-	-	-
52	-	-	*	*	-	-	-	-
53	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-
55	-	-	*	*	-	-	-	-
56	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-
Average	40	41	41	42	-	-	-	-
Strength								
17 & below	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-
32	-	-	-	-	-	-	-	-
33	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-
35	-	-	*	*	-	-	-	-
36	-	*	0.1	0.1	-	-	-	-
37	-	0.1	0.6	0.3	-	-	-	-
38	-	0.6	1.6	1.3	-	-	-	-
39	-	4.3	2.4	3.0	-	-	-	-
40	0.2	10.5	2.8	4.1	-	-	-	-
41	0.8	8.8	3.5	3.7	-	-	-	-
42	0.8	6.8	7.0	6.1	-	-	-	-
43	14.7	19.2	13.0	12.7	-	-	-	-
44	36.4	26.4	20.3	21.5	-	-	-	-
45 & above	47.1	23.3	48.6	47.1	-	-	-	-
Average	44.3	43.0	44.0	44.0	-	-	-	-
EXTRANEIOUS MATTER								
Bark	-	-	-	*	-	-	-	-
Grass	-	0.2	-	0.2	-	-	-	-
Spindle Twist	-	-	0.1	*	-	-	-	-
Preparation	-	*	*	*	-	-	-	-

* Less than 0.05 percent.



Extraneous Matter By State

14-Dec-18

Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states
For the Week ending Thursday, December 13, 2018

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	0.1%	-	15.5%	-	*	-	0.2%	-	-	-	-	-	*	-	15.7%	-	57,011
Arizona	-	-	1.0%	-	*	-	2.4%	-	-	-	-	-	-	-	3.4%	-	33,012
Arkansas	0.1%	-	2.3%	-	0.1%	-	*	-	*	-	-	-	-	-	2.5%	-	60,803
California	*	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	14,714
Florida	0.1%	-	25.4%	-	-	-	0.3%	-	-	-	-	-	-	-	25.7%	-	6,092
Georgia	0.1%	-	18.9%	-	*	-	0.2%	-	-	-	-	-	*	-	19.2%	-	137,933
Kansas	-	-	26.6%	-	-	-	-	-	-	-	-	-	-	-	26.6%	-	6,493
Louisiana	-	-	4.9%	-	0.1%	-	0.1%	-	-	*	-	*	-	-	5.0%	-	17,310
Mississippi	0.7%	-	1.6%	-	0.1%	*	0.1%	-	-	-	-	-	*	-	2.5%	*	87,986
Missouri	*	-	1.1%	-	*	-	*	-	-	-	-	-	-	-	1.1%	-	50,298
New Mexico	-	-	0.5%	-	-	-	-	-	-	-	-	-	-	-	0.5%	-	3,068
North Carolina	-	-	2.2%	-	*	-	-	-	*	-	-	-	-	-	2.2%	-	52,242
Oklahoma	-	-	3.9%	-	*	-	-	-	-	-	-	-	-	-	3.9%	-	32,957
South Carolina	*	-	2.7%	-	*	-	-	-	-	-	-	-	-	-	2.7%	-	29,099
Tennessee	*	-	0.6%	-	0.1%	-	*	-	-	-	-	-	-	-	0.7%	-	42,719
Texas	*	-	7.4%	-	*	-	1.6%	-	*	-	-	-	*	-	9.1%	-	472,148
Virginia	-	-	0.2%	-	-	-	-	-	-	-	-	-	-	-	0.2%	-	15,156
United States	0.1%	-	7.3%	-	*	*	0.8%	-	*	-	*	-	*	-	8.2%	*	1,119,041

* Less than 0.05 percent.

Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states
For the Season ending Thursday, December 13, 2018

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	*	-	10.2%	*	0.1%	-	0.2%	-	-	-	-	-	*	-	10.5%	*	568,279
Arizona	-	-	0.8%	-	*	-	1.8%	-	-	-	-	-	-	-	2.6%	-	135,365
Arkansas	*	-	1.4%	-	0.1%	-	*	-	*	-	*	-	*	-	1.6%	-	1,084,595
California	*	-	*	-	0.1%	-	-	-	-	-	-	-	-	-	0.2%	-	106,025
Florida	*	-	21.0%	*	*	-	0.3%	-	-	-	-	-	-	-	21.3%	*	51,361
Georgia	*	-	10.5%	*	0.1%	-	0.1%	-	-	-	-	-	*	-	10.7%	*	1,251,409
Kansas	-	-	23.9%	-	0.1%	-	0.1%	-	-	-	-	-	*	-	24.1%	-	30,206
Louisiana	*	-	2.3%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	2.5%	-	380,024
Mississippi	0.5%	-	0.9%	-	0.2%	*	0.1%	-	*	-	*	-	*	-	1.8%	*	1,165,221
Missouri	*	-	0.7%	-	0.1%	-	*	-	*	-	*	-	*	-	0.8%	-	683,864
New Mexico	-	-	0.6%	-	-	-	-	-	-	-	-	-	-	-	0.6%	-	15,045
North Carolina	*	-	1.9%	-	*	-	-	-	*	-	-	-	-	-	2.0%	-	615,089
Oklahoma	*	-	4.2%	-	*	-	*	-	*	-	-	-	-	-	4.2%	-	183,926
South Carolina	*	-	4.1%	-	0.1%	-	*	-	-	-	-	-	*	-	4.2%	-	255,694
Tennessee	*	-	0.3%	-	*	-	*	-	*	-	-	-	-	-	0.4%	-	721,703
Texas	*	-	6.0%	-	0.3%	-	1.3%	-	*	-	-	-	*	*	7.7%	*	4,025,531
Virginia	-	-	0.3%	-	*	-	-	-	-	-	-	-	-	-	0.3%	-	149,839
United States	0.1%	-	4.6%	*	0.2%	*	0.5%	-	*	-	*	-	*	*	5.3%	*	11,423,176

* Less than 0.05 percent.